

## Supplementary Files

References cited in Tables 1 and 2 of paper titled “*The Ethnopharmacological Literature: An Analysis of the Scientific Landscape in the Cerrado in Central-Western Brazil*”.

- Agra, I. K. R., Pires, L. L. S., Carvalho, P. S. M., Silva-Filho, E. A., Smaniotti, S., & Barreto, E. (2013). Evaluation of wound healing and antimicrobial properties of aqueous extract from *Bowdichia virgilioides* stem barks in mice. *Anais da Academia Brasileira de Ciências*, 85, 945-954. <https://doi.org/10.1590/S0001-37652013005000049>
- Agra, M. D. F., Silva, K. N., Basílio, I. J. L. D., De Freitas, P. F., & Barbosa-Filho, J. M. (2008). Survey of medicinal plants used in the region Northeast of Brazil. *Brazilian Journal of Pharmacognosy*, 18, 472-508. <https://doi.org/10.1590/S0102-695X2008000300023>
- Agra, M. F., Baracho, G. S., Nurit, K., Basilio, I. J., & Coelho, V. P. (2007b). Medicinal and poisonous diversity of the flora of “Cariri Paraibano”, *Brazilian Journal of Ethnopharmacology*, 111, 383-395. <https://doi.org/10.1016/j.jep.2006.12.007>
- Agra, M. F., de Freitas, P. F., & Barbosa-Filho, J. M. (2007a). Synopsis of the plants known as medicinal and poisonous in Northeast of Brazil. *Brazilian Journal of Pharmacognosy*, 17, 114-140. <https://doi.org/10.1590/s0102-695x2007000100021>
- Aichholz, R., Spitzer, V., & Lorbeer, E. (1997). Analysis of cyanolipids and triacylglycerols from Sapindaceae seed oils with high-temperature gas chromatography and high-temperature gas chromatography-chemical ionization mass spectrometry. *Journal of Chromatography A*, 787, 181-194. [https://doi.org/10.1016/S0021-9673\(97\)00650-X](https://doi.org/10.1016/S0021-9673(97)00650-X)
- Albano, M. N., da Silveira, M. R., Danielski, L. G., Florentino, D., Petronilho, F., & Piovezan, A. P. (2013). Anti-inflammatory and antioxidant properties of hydroalcoholic crude extract from *Casearia sylvestris* Sw. (Salicaceae). *Journal of Ethnopharmacology*, 147, 612-617. <https://doi.org/10.1016/j.jep.2013.03.049>
- Albernaz, L. C., de Paula, J. E., Romero, G. A., Silva, M. R., Grellier, P., Mambu, L., & Espindola, L. S. (2010). Investigation of plant extracts in traditional medicine of the Brazilian Cerrado against protozoans and yeasts. *Journal of Ethnopharmacology*, 131, 116-121. <https://doi.org/10.1016/j.jep.2010.06.011>
- Alencar, N. M. N., Assreuy, A. M. S., Alencar, V. B. M., Melo, S. C., Ramos, M. V., Cavada, B. S., ... Ribeiro, R. A. (2003). The galactose-binding lectin from *Vatairea macrocarpa* seeds induces *in vivo* neutrophil migration by indirect mechanism. *Internacional Journal of Biochemistry and Cell Biology*, 35, 1674-1681. [https://doi.org/10.1016/S1357-2725\(03\)00138-9](https://doi.org/10.1016/S1357-2725(03)00138-9)
- Alexandre-Moreira, M. S., Piavezam, M. R., Araújo, C. C., & Thomas, G. (1999). Studies on the anti-inflammatory and analgesic activity of *Curatella americana* L. *Journal of Ethnopharmacology*, 67, 171-177. [https://doi.org/10.1016/S0378-8741\(99\)00009-4](https://doi.org/10.1016/S0378-8741(99)00009-4)
- Alice, C. B., Siqueira, N. C. S., Mentz, L. A., Silva, G. A. A. B., & José, K. F. D. (1995). *Plantas medicinais de uso popular (Atlas farmacognóstico)*. Editora da ULBRA, Canoas.
- Almeida, J. R. G. da S., Silva-Filho, R. N. da, Nunes, X. P., Dias, C. S., Pereira, F. de O., & Lima, E. O. (2006). Antimicrobial activity of the essential oil of *Bowdichia virgilioides* Kunt. *Brazilian Journal of Pharmacognosy*, 16, 638-641. <https://doi.org/10.1590/s0102-695x2006000500009>
- Almeida, S. P., Proença, C. E. B., Sano, S. M., & Ribeiro, J. F. (1998). *Cerrado: Espécies vegetais úteis* (1st ed.). EMBRAPA-CPAC, Planaltina, DF.
- Almeida-Apolonio, A. A. de, Dantas, F. G. da S., Rodrigues, A. B., Cardoso, C. A. L., Negri, M., Oliveira, K. M. P., & Chang, M. R. (2019). Antifungal activity of *Annona coriacea* Mart. ethanol extracts against the aetiological agents of cryptococcosis. *Natural Products Research*, 33, 2363-2367. <https://doi.org/10.1080/14786419.2018.1440221>
- Alves, T. M. A., Silva, A. F., Brandão, M., Grandi, T. S. M., Smânia, E. F. A., Smânia Júnior, A., & Zani, C. L. (2000). Biological screening of Brazilian medicinal plants. *Memórias do Instituto Oswaldo Cruz*, 95, 367-373. <https://doi.org/10.1590/S0074-02762000000300012>
- Alzugaray, D., & Alzugaray, C. (1983). *Plantas que curam*. Editora Três, Rio de Janeiro.

- Amorim, A., Cardoso, M., Pinto, J. E., Souza, P., & Delú, N. (2004). Fungitoxic activity avaliation of the hexane and methanol extracts of copaiba plant leaves *Copaifera langsdorffii* Desf. *Ciência e Agrotecnologia*, 28, 314-322. <https://doi.org/10.1590/S1413-70542004000200010>
- Amorozo, M. (2002). Uso e diversidade de plantas medicinais em Santo Antonio do Leverger, MT, Brasil. *Acta Botânica Brasiliensis*, 16, 189-203. <https://doi.org/10.1590/S0102-33062002000200006>
- Andrade-Neto, V. F., Brandão, M. G., Stehmann, J. R., Oliveira, L. A., & Krettli, A. U. (2003). Antimalarial activity of Cinchona-like plants used to treat fever and malaria in Brazil. *Journal of Ethnopharmacology*, 87, 253-256. [https://doi.org/10.1016/S0378-8741\(03\)00141-7](https://doi.org/10.1016/S0378-8741(03)00141-7)
- Antinarelli, L. M., Pinto, N. C., Scio, E., & Coimbra, E. S. (2015). Antileishmanial activity of some Brazilian plants, with particular reference to *Casearia sylvestris*. *Anais da Academia Brasileira de Ciências*, 87, 733-742. <https://doi.org/10.1590/0001-3765201520140288>
- Antunes, K., Baldivia, D., da Rocha, P., Casagrande, J., Argandoña, E., Vieira, M., Cardoso, C., dos Santos, E., & Picoli Souza, K. (2016). Antibesity effects of hydroethanolic extract of *Jacaranda decurrens* leaves. *Evidence-Based Complementary Alternative Medicine*, 2016, 1-8. <https://doi.org/10.1155/2016/4353604>
- Aquino, A. B. de, Cavalcante-Silva, L. H. A., Matta, C. B. B. da, Epifâniao, W. A. do N., Aquino, P. G. V., Santana, A. E. G., Alexandre-Moreira, M. S., & Araújo-Júnior, J. X. (2013a). The antinociceptive and anti-inflammatory activities of *Aspidosperma tomentosum* (Apocynaceae). *Science World Journal*, 2013, 218627. <https://doi.org/10.1155/2013/218627>
- Aquino, F., Canelhas, B., Cunha, L., Morais, S., Barros, T., Souza, L., ... Martins, C. H. (2013b). Essential oil composition and extracts of *Cordiera sessilis* (Vell.) Kuntze with Antioxidant and Antimicrobial Activity. *Latin American Journal of Pharmacy*, 32, 371-377
- Aragão, G. F., Carneiro, L. M. V., Junior, A. P. F., Vieira, L. C., Bandeira, P. N., Lemos, T. L. G., & Viana, G. S. B. (2006). A possible mechanism for anxiolytic and antidepressant effects of alpha- and beta-amyrin from *Protium heptaphyllum* (Aubl.) March. *Pharmacology Biochemistry and Behavior*, 85, 827-834. <https://doi.org/10.1016/j.pbb.2006.11.019>
- Araujo, D. A. O. V., Takayama, C., de-Faria, F. M., Socca, E. A. R., Dunder, R. J., Manzo, L. P., ... Souza-Brito, A. R. M. (2011). Gastroprotective effects of essential oil from *Protium heptaphyllum* on experimental gastric ulcer models in rats. *Brazilian Journal of Pharmacognosy*, 21, 721-729. <https://doi.org/10.1590/S0102-695X2011005000117>
- Araujo, M. G. F., Galeane, M. C., Castro, A. D., Salgado, H. R. N., Almeida, A. E., Cunha, W. R., ... Moreira, R. R. D. (2010). Pharmacognostical evaluation of fruits of *Solanum lycocarpum* St.-Hill. (Solanaceae A.). *Pharmacognosy Journal*, 2, 248-253. [https://doi.org/10.1016/S0975-3575\(10\)80112-9](https://doi.org/10.1016/S0975-3575(10)80112-9)
- Araujo, T. A. S., Peixoto Sobrinho, T. J. S., Aguiar, J. S., Silva, A. C. O., Brito, F. U., Silva, G., ... Pranchevicius, M. C. S. (2015). Phytochemical, antioxidant and cytotoxic analysis of Brazilian cerrado plants: Preliminary evidence of their antitumor activity. *Journal of Medicinal Plants Research*, 9, 310-319. <https://doi.org/10.5897/jmpr2015.5741>
- Arena, A. C., Torraca, J. A. M., Cardoso, C. A. L., Kempinas, W. G., & Vieira, M. C. (2012). Maternal exposure to aqueous extract of *Jacaranda decurrens*: Effects on reproductive system in male rats. *Pharmaceutical Biology*, 50, 195-200. <https://doi.org/10.3109/13880209.2011.592538>
- Arisawa, M., Morinaga, Y., Nishi, Y., Ueno, H., Suzuki, S., Hayashi, T., ... Berganza, L. H. (1989). Chemical and pharmaceutical studies on medicinal plants in Paraguay. Constituents of angiotensin converting enzyme inhibitory fraction from "Cocu", *Allophylus edulis* Radlk. *Journal of Pharmacognosy*, 43, 78-80.
- Arriaga, Â. M. C., Gomes, G. A., & Braz-Filho, R. (2000). Constituents of *Bowdichia virgilioides*. *Fitoterapia*, 71, 211-212. [https://doi.org/10.1016/S0367-326X\(99\)00129-X](https://doi.org/10.1016/S0367-326X(99)00129-X)
- Arriaga, Â. M. C., Machado, M. I. L., Gomes, G. A., & Craveiro, A. A. (1998). Volatile constituents from roots of *Bowdichia virgilioides* kunt. *Journal of Essential Oil Research*, 10, 205-206. <https://doi.org/10.1080/10412905.1998.9700881>
- Audi, E. A., Toledo, D. P., Peres, P. G., Kimura, E., Pereira, W. K., de Mello, J. C., ... Bersani-Amado, C. A. (1999). Gastric antulcerogenic effects of *Stryphnodendron adstringens* in rats. *Phytotherapy Research*, 13, 264-266. [https://doi.org/10.1002/\(SICI\)1099-1573\(199905\)13:3<264::AID-PTR443>3.0.CO;2-R](https://doi.org/10.1002/(SICI)1099-1573(199905)13:3<264::AID-PTR443>3.0.CO;2-R)

- Aynilian, G. H., Farnsworth, N. R., Duke, J. A., & Gentner, W. A. (1974). Cocaine content of *Erythroxylum* species. *Journal of Pharmaceutical Sciences*, 63, 1938-1939. <https://doi.org/10.1002/jps.2600631223>
- Azevedo, A. O., Campos, J. J., Galdino, G. S., Braga, F. C., Duarte, I. D. G., & Perez, A. C. (2007). Antinociceptive effect from *Davilla elliptica* hydroalcoholic extract. *Journal of Ethnopharmacology*, 113, 354-356. <https://doi.org/10.1016/j.jep.2007.06.008>
- Balbach, A. (1979). *Flora nacional na medicina doméstica* (11th ed.). Editora MVP, São Paulo.
- Baldissera, M. D., Oliveira, C. B., Tonin, A. A., Wolkmer, P., Lopes, S. T. A., Fighera, R., ... Da Silva, A. S. (2014). Toxic effect of essential oils (*Copaifera* spp.) in the treatment of mice experimentally infected with *Trypanosoma evansi*. *Biomedicine and Preventive Nutrition*, 4, 319-324. [https://doi.org/10.1016/j.bionut.2014.03.001Get](https://doi.org/10.1016/j.bionut.2014.03.001)
- Bandeira, P. N., Fonseca, A. M., Costa, S. M. O., Lins, M. U. D. S., Pessoa, O. D. L., Monte, F. J. Q., ... Lemosa, T. L. G. (2006). Antimicrobial and antioxidant activities of the essential oil of resin of *Protium heptaphyllum*. *Natural Product Communication*, 1, 117-120. <https://doi.org/10.1177/1934578x0600100207>
- Bandoni, A. L., Mendiondo, M. E., Rondina, R. V. D., & Coussio, J. D. (1976). Survey of argentine medicinal plants-Folklore and phytochemical-Screening. II. *Economic Botany*, 30, 161-185. <https://doi.org/10.1007/BF02862962>
- Barbosa-Filho, J. M., Guedes Da Silva Almeida, J. R., Carlos De Oliveira Costa, V., Leitão Da-Cunha, E. V., Sobral Da Silva, M., & Braz-Filho, R. (2004b). Bowdichine, a new diaza-adamantane alkaloid from *Bowdichia virgilioides*. *Journal of Asian Natural Products Research*, 6, 11-17. <https://doi.org/10.1080/1028602031000119763>
- Barbosa-Filho, J., Lima, C., & Amorim, E. L. C. (2004a). Botanical study, phytochemistry and antimicrobial activity of *Tabebuia aurea*. *Phytom-International Journal of Experimental Botany*, 53, 221-228.
- Barros, M. A. (1982). Flora medicinal do Distrito Federal. *Brasil Florestal*, 50, 35-45.
- Barros, W. M., Rao, V. S. N., Silva, R. M., Lima, J. C. S., & Martins, D. T. O. (2010). Anti-inflammatory effect of the ethanolic extract from *Bowdichia virgilioides* H.B.K stem bark. *Anais da Academia Brasileira de Ciências*, 82, 609-616. <https://doi.org/10.1590/S0001-37652010000300008>
- Basile, A. C., Sertié, J. A. A., Panizza, S., Oshiro, T. T., & Azzolini, C. A. (1990). Pharmacological assay of *Casearia sylvestris*. I: Preventive anti-ulcer activity and toxicity of the leaf crude extract. *Journal of Ethnopharmacology*, 30, 185-197. [https://doi.org/10.1016/0378-8741\(90\)90007-G](https://doi.org/10.1016/0378-8741(90)90007-G)
- Basting, R. T., Nishijima, C. M., Lopes, J. A., Santos, R. C., Lucena Perico, L., Laufer, S., ... Hiruma-Lima, C. A. (2014). Antinociceptive, anti-inflammatory and gastroprotective effects of a hydroalcoholic extract from the leaves of *Eugenia punicifolia* (Kunth) DC. in rodents. *Journal of Ethnopharmacology*, 157, 257-267. <https://doi.org/10.1016/j.jep.2014.09.041>
- Batista, A. G., Ferrari, A. S., da Cunha, D. C., da Silva, J. K., Cazarin, C. B., Correa, L. C., ... Marostica Junior, M. R. (2016). Polyphenols, antioxidants, and antimutagenic effects of *Copaifera langsdorffii* fruit. *Food Chemistry*, 197, 1153-1159. <https://doi.org/10.1016/j.foodchem.2015.11.093>
- Benites, R. S. R., Formaggio, A. S. N., Argandoña, E. J. S., Volobuff, C. R. F., Trevizan, L. N. F., Vieira, M. C., & Silva, M. S. (2015). Conteúdo de constituintes e atividade antioxidante de extratos de semente e polpa de *Annona coriacea* e *Annona sylvatica*. *Brazilian Journal of Biology*, 75, 685-691. <https://doi.org/10.1590/1519-6984.21313>
- Bento, A. P., Cominetto, C., Simoes Filho, A., & Naves, M. M. (2014). Baru almond improves lipid profile in mildly hypercholesterolemic subjects: a randomized, controlled, crossover study. *Nutrition, Metabolism and Cardiovascular Diseases*, 24, 1330-1336. <https://doi.org/10.5539/jfr.v4n4p38>
- Beserra, A. M. S. S., Vilegas, W., Tangerina, M. M. P., Ascêncio, S. D., Soares, I. M., Pavan, E., ... Martins, D. T. O. (2018). Chemical characterisation and toxicity assessment *in vitro* and *in vivo* of the hydroethanolic extract of *Terminalia argentea* Mart. leaves. *Journal of Ethnopharmacology*, 227, 56-68. <https://doi.org/10.1016/j.jep.2018.08.025>
- Bezerra, J. C. B., Silva, I. A., Ferreira, H. D., Ferri, P. H., & Santos, S. C. (2002). Molluscicidal activity against *Biomphalaria glabrata* of Brazilian Cerrado medicinal plants. *Fitoterapia*, 73, 428-430. [https://doi.org/10.1016/S0367-326X\(02\)00121-1](https://doi.org/10.1016/S0367-326X(02)00121-1)

- Bezerra-Silva, P. C., Santos, J. C., Santos, G. K. N., Dutra, K. A., Santana, A. L. B. D., Maranhão, C. A., ... Bieber, L. W. (2015). Extract of *Bowdichia virgilioides* and maackiain as larvicidal agent against *Aedes aegypti* mosquito. *Experimental Parasitology*, *153*, 160-164. <https://doi.org/10.1016/j.exppara.2015.03.018>
- Biesdorf, C., Cortez, D. A., & Audi, E. A. (2012). Assessment of anxiolytic and panicolytic effects of dichloromethane fraction from stems of *Kielmeyera coriacea*. *Phytomedicine*, *19*, 374-377. <https://doi.org/10.1016/j.phymed.2011.08.067>
- Bieski, I. G. C., Rios Santos, F., De Oliveira, R. M., Espinosa, M. M., Macedo, M., Albuquerque, U. P., & De Oliveira Martins, D. T. (2012). Ethnopharmacology of medicinal plants of the Pantanal region (Mato Grosso, Brazil). *Evidence-based Complementary Alternative Medicine*, *2012*, 1-36. <https://doi.org/10.1155/2012/272749>
- Bieski, I. G., Leonti, M., Arnason, J. T., Ferrier, J., Rapinski, M., Violante, I. M., ... Martins, D. T. (2015). Ethnobotanical study of medicinal plants by population of Valley of Juruena Region, Legal Amazon, Mato Grosso, Brazil. *Journal of Ethnopharmacology*, *173*, 383-423. <https://doi.org/10.1016/j.jep.2015.07.025>
- Biso, F. I., Rodrigues, C. M., Rinaldo, D., Reis, M. B., Bernardi, C. C., Mattos, J. C., ... Varanda, E. A. (2010). Assessment of DNA damage induced by extracts, fractions and isolated compounds of *Davilla nitida* and *Davilla elliptica* (Dilleniaceae). *Mutation Research*, *702*, 92-99. <https://doi.org/10.1016/j.mrgentox.2010.07.011>
- Blatt, C. T. T., Dos Santos, M. D., & Salatino, A. (1998). Flavonoids of Bignoniaceae from the "Cerrado" and their possible taxonomic significance. *Plant Systematics and Evolution*, *210*, 289-292. <https://doi.org/10.1007/BF00985673>
- Boff, L., Silva, I. T., Argenta, D. F., Farias, L. M., Alvarenga, L. F., Pádua, R. M., ... Simões, C. M. O. (2016). *Strychnos pseudoquina* A. St. Hil.: a Brazilian medicinal plant with promising *in vitro* antiherpes activity. *Journal of Applied Microbiology*, *121*, 1519-1529. <https://doi.org/10.1111/jam.13279>
- Bohm, B. A., Loo, T., Nicholls, K. W., & Plowman, T. (1988). Flavonoid variation in *Erythroxylum*. *Phytochemistry*, *27*, 833-837. [https://doi.org/10.1016/0031-9422\(88\)84102-5](https://doi.org/10.1016/0031-9422(88)84102-5)
- Bolzani, V. D. S., Izumisawa, C. M., Young, M. C. M., Trevisan, L. M. V., Kingston, D. G. I., & Gunatilaka, A. L. (1997). Iridoids from *Tocoyena formosa*. *Phytochemistry*, *46*, 305-308. [https://doi.org/10.1016/S0031-9422\(97\)00238-0](https://doi.org/10.1016/S0031-9422(97)00238-0)
- Bolzani, V. D. S., Serur, L. M., Francisco, F. J., & Golieb, O. R. (1987). Indole alkaloid evolution in *Aspidosperma*. *Biochemical Systematics and Ecology*, *15*, 187-200. [https://doi.org/10.1016/0305-1978\(87\)90019-6](https://doi.org/10.1016/0305-1978(87)90019-6)
- Bolzani, V. D. S., Trevisan, L. M. V., Izumisawa, C. M., & Young, M. C. M. (1996). Antifungal iridoids from the stems of *Tocoyena formosa*. *Journal of Brazilian Chemical Society*, *7*, 157-160. Retrieved from <http://hdl.handle.net/11449/37909>
- Bonacorsi, C., da Fonseca, L. M., Raddi, M. S., Kitagawa, R. R., & Vilegas, W. (2013). Comparison of Brazilian plants used to treat gastritis on the oxidative burst of *Helicobacter pylori*-stimulated neutrophil. *Evidence-based Complementary and Alternative Medicine*, *85*, 16-21. <https://doi.org/10.1155/2013/851621>
- Bonamin, F., Moraes, T. M., Kushima, H., Silva, M. A., Rozza, A. L., Pellizzon, C. H., ... Hiruma-Lima, C. A. (2011). Can a *Strychnos* species be used as antiulcer agent? Ulcer healing action from alkaloid fraction of *Strychnos pseudoquina* St. Hil. (Loganiaceae). *Journal of Ethnopharmacology*, *138*, 47-52. <https://doi.org/10.1016/j.jep.2011.08.020>
- Bonan, R. F., Bonan, P. R., Batista, A. U., Sampaio, F. C., Albuquerque, A. J., Moraes, M. C., ... Oliveira, J. E. (2015). *In vitro* antimicrobial activity of solution blow spun poly (lactic acid)/polyvinylpyrrolidone nanofibers loaded with Copaiiba (*Copaifera* sp.) oil. *Materials Science & Engineering C-Materials for Biological Applications*, *48*, 372-377. <https://doi.org/10.1016/j.msec.2014.12.021>
- Borges, J. C., Perim, M. C., de Castro, R. O., Araújo, T. A. de S., Peixoto Sobrinho, T. J. S., da Silva, A. C. O., ... Pranchevicius, M. C. S. (2017). Evaluation of antibacterial activity of the bark and leaf extracts of *Brosimum gaudichaudii* Trécul against multidrug resistant strains. *Natural Products Research*, *31*, 2931-2935. <https://doi.org/10.1080/14786419.2017.1305379>
- Borges, M. H., Soares, A. M., Rodrigues, V. M., Oliveira, F., Fransheschi, A. M., Rucavado, A., ... Homsi-Brandeburgo, M. I. (2001). Neutralization of proteases from *Bothrops* snake venoms by the aqueous

- extract from *Casearia sylvestris* (Flacourtiaceae). *Toxicon*, 39, 1863-1869. [https://doi.org/10.1016/S0041-0101\(01\)00169-6](https://doi.org/10.1016/S0041-0101(01)00169-6)
- Braga, K. M. S., Pimenta, V. S. C., & Araujo, E. G. (2017). Brazilian savanna fruit pequi (*Caryocar brasiliense*) extract inhibits canine osteosarcoma cell growth *in vitro*. *Journal of Comparative Pathology*, 156, 128. <https://doi.org/10.1016/j.jcpa.2016.11.222>
- Brandão, G. C., Kroon, E. G., dos Santos, J. R., Stehmann, J. R., Lombardi, J. A., & de Oliveira, A. B. (2010). Atividade antiviral de extratos de plantas coletadas no estado de Minas Gerais. Parte 2. Triagem de Bignoniacaceae. *Brazilian Journal Pharmacognosy*, 20, 742-750. <https://doi.org/10.1590/S0102-695X2010005000035>
- Brandão, M. (1991). Plantas medicamentosas do cerrado mineiro. *Informe Agropecuário*, 15, 15-20.
- Brandão, M., Carvalho, P. G. S., & Jesué, G. (1992). *Guia Ilustrado de Plantas do Cerrado de Minas Gerais*. CEMIG, Belo Horizonte.
- Brant, N. M. F., Gasparotto, F. M., Araújo, V. O., Maraschin, J. C., Ribeiro, R. C. L., Lourenço, E. L. B., ... Gasparotto Junior, A. (2014). Cardiovascular protective effects of *Casearia sylvestris* Swartz in Swiss and C57BL/6 LDLr-null mice undergoing high fat diet. *Journal of Ethnopharmacology*, 154, 419-427. <https://doi.org/10.1016/j.jep.2014.04.019>
- Brasil. (2014). *Monografia da Espécie Stryphnodendron Adstringens* (MART.) Coville (Barbatimão). Retrieved from <https://portalarquivos2.saude.gov.br/images/pdf/2014/novembro/25/Vers--o-cp-Stryphno%20dendron.pdf>
- Breda, C. A., Gasperini, A. M., Garcia, V. L., Monteiro, K. M., Bataglion, G. A., Eberlin, M. N., & Duarte, M. C. T. (2016). Phytochemical analysis and antifungal activity of extracts from leaves and fruit residues of Brazilian savanna plants aiming its use as safe fungicides. *Natural Products and Bioprospecting*, 6, 195-204. <https://doi.org/10.1007/s13659-016-0101-y>
- Breitbach, U. B., Niehues, M., Lopes, N. P., Faria, J. E. Q., & Brandão, M. G. L. (2013). Amazonian Brazilian medicinal plants described by C.F.P. von Martius in the 19th century. *Journal of Ethnopharmacology*, 147, 180-189. <https://doi.org/10.1016/j.jep.2013.02.030>
- Brochini, C. B., Martins, D., Roque, N. F., & Bolzani, V. S. (1994). An oleanane acid from *Alibertia edulis*. *Phytochemistry*, 36, 1293-1295. [https://doi.org/10.1016/S0031-9422\(00\)89654-5](https://doi.org/10.1016/S0031-9422(00)89654-5)
- Brunetti, I. L., Vendramini, R. C., Januário, A. H., França, S. C., & Pepato, M. T. (2006). Effects and toxicity of *Eugenia punicifolia*. Extracts in streptozotocin-diabetic rats. *Pharmaceutical Biology*, 44, 35-43. <https://doi.org/10.1080/13880200500530575>
- Brustolin Aleixo, C. F., Ferraz, F. N., Massini, P. F., Lopes, C. R., Temporini, G. J. F., Aleixo, D. L., & de Araujo, S. M. (2017). Beneficial immunomodulatory and neuro digestive effect in *Trypanosoma cruzi* infection after *Lycopodium clavatum* 13c treatment. *Microbiological Pathogens*, 112, 1-4. <https://doi.org/10.1016/j.micpath.2017.09.026>
- Bueno, P., Passareli, F., Anhesine, N., Torres, R., & Cavalheiro, A. (2016). Flavonoids from *Casearia sylvestris* Swartz variety lingua (Salicaceae). *Biochemical Systematics and Ecology*, 68, 23-26. <https://doi.org/10.1016/j.bse.2016.06.002>
- Camillo, J., Scherwinski-Pereira, J. E., Vieira, R. F., & Peixoto, J. R. (2009). Conservação *in vitro* de *Cochlospermum regium* (Schrantz) pilg.-cochlospermaceae sob regime de crescimento mínimo. *Brazilian Journal of Medicinal Plants*, 11, 184-189. <https://doi.org/10.1590/S1516-05722009000200012>
- Campos, J. F., de Toledo Espindola, P. P., Torquato, H. F. V., Vital, W. D., Justo, G. Z., Silva, D. B., ... dos Santos, E. L. (2017). Leaf and root extracts from *Campomanesia adamantium* (Myrtaceae) promote apoptotic death of leukemic cells via activation of intracellular calcium and caspase-3. *Frontiers in Pharmacology*, 8. <https://doi.org/10.3389/fphar.2017.00466>
- Campos, J. J., De Oliveira Azevedo, A., De Souza Filho, J. D., Castro Perez, A., & Castro Braga, F. (2013). Bioguided isolation of myricetin-3-O-β-galactopyranoside with antinociceptive activity from the aerial part of *Davilla elliptica* St.-Hil. *Journal of Ethnopharmacology*, 150, 270-274. <https://doi.org/10.1016/j.jep.2013.08.042>
- Cândida da Silva, V., Soares Mendes Giannini, M. J., Carbone, V., Piacente, S., Pizza, C., da Silva Bolzani, V., & Nasser Lopes, M. (2008). New antifungal terpenoid glycosides from *Alibertia edulis* (Rubiaceae). *Helvetica Chimica Acta*, 91, 1355-1362. <https://doi.org/10.1002/hlca.200890147>

- Cano, J. H., & Volpato, G. (2004). Herbal mixtures in the traditional medicine of Eastern Cuba. *Journal of Ethnopharmacology*, 90, 293-316. <https://doi.org/10.1016/j.jep.2003.10.012>
- Capasso, A., Balderrama, L., Sivila, S., De Tommasi, N., Sorrentino, L., & Pizza, C. (1998). Phytochemical and Pharmacological Studies of *Guettarda acreana*. *Planta Medica*, 64, 348-352. <https://doi.org/10.1055/s-2006-957449>
- Capobiango, R., Vestena, S., & Bittencourt, A. (2009). Alelopatia de *Joanesia princeps* Vell. e *Casearia sylvestris* Sw. sobre espécies cultivadas. *Brazilian Journal of Pharmacognosy*, 19. <https://doi.org/10.1590/S0102-695X2009000600023>
- Cardoso Junior, I. M. (2017). *Cayaponia silva manso (cucurbitaceae Juss.), no estado de goiás: uma abordagem morfológica e anatômica* (Master's thesis, Federal University of Goiás, Brazil).
- Cardoso, C. A. L., Salmazzo, G. R., Honda, N. K., Prates, C. B., Vieira, M. D. C., & Coelho, R. G. (2010). Antimicrobial activity of the extracts and fractions of hexanic fruits of *Campomanesia* species (Myrtaceae). *Journal of Medicinal Food*, 13, 1273-1276. <https://doi.org/10.1089/jmf.2009.0047>
- Cardoso, P., Rocha, C., Leal, M. F., Bahia, M. O., Alcantara, D., Santos, R. A. D., ... Burbano, R. M. R. (2017). Effect of diterpenoid kaurenoic acid on genotoxicity and cell cycle progression in gastric cancer cell lines. *Biomedicine and Pharmacotherapy*, 89, 772-780. <https://doi.org/10.1016/j.biopha.2017.02.085>
- Carli, C. B., Matos, D. C., Lopes, F. C., Maia, D. C., Dias, M. B., Sannomiya, M., ... Carlos, I. Z. (2009). Isolated flavonoids against mammary tumour cells LM2. *Zeitschrift fur Naturforschung C. Journal of Biosciences*, 64, 32-36. <https://doi.org/10.1515/znc-2009-1-206>
- Carlos, I. Z., Lopes, F. C. M., Benzatti, F. P., Carli, C. B. A., Marques, M. F., Jordão Junior, C. M., ... Vilegas, W. (2005). Ação do extrato metanólico e etanólico de *Davilla elliptica* St. Hill. (Malpighiaceae) na resposta imune. *Brazilian Journal of Pharmacognosy*, 15, 44-50. <https://doi.org/10.1590/S0102-695X2005000100010>
- Carneiro, A. C. O., Vital, B. R., Castro, A. F. N. M., Santos, R. C., Castro, R. V. O., & Pinheiro, M. A. (2012). Parâmetros cinéticos de adesivos produzidos a partir de taninos de *Anadenanthera peregrina* e *Eucalyptus grandis*. *Revista Árvore*, 36, 767-775. <https://doi.org/10.1590/S0100-67622012000400018>
- Carneiro, C. C., Santos, S. C., Lino, R. S., Bara, M. T. F., Chaibub, B. A., Reis, P. R. M., ... Chen-Chen, L. (2016). Chemopreventive effect and angiogenic activity of punicalagin isolated from leaves of *Lafoensia pacari* A. St.-Hil. *Toxicology and Applied Pharmacology*, 310, 1-8. <https://doi.org/10.1016/j.taap.2016.08.015>
- Carnevale Neto, F., Pilon, A. C., Silva, D. H. S., Bolzani, V. S., & Castro-Gamboa, I. (2011). Vochysiaceae: secondary metabolites, ethnopharmacology and pharmacological potential. *Phytochemistry Reviews*, 10, 413. <https://doi.org/10.1007/s11101-011-9213-5>
- Carvalho, C. A., Lourenço, M. V., Bertoni, B. W., França, S. D. C., Pereira, P. S., Fachin, A. L., & Pereira, A. M. S. (2009). Atividade antioxidante de *Jacaranda decurrens* Cham., Bignoniaceae. *Brazilian Journal of Pharmacognosy*, 19, 592-598. <https://doi.org/10.1590/s0102-695x2009000400015>
- Carvalho, K. M. M. B., de Melo, T. S., de Melo, K. M., Quinderé, A. L. G., de Oliveira, F. T. B., Viana, A. F. S. C., ... Santos, F. A. (2017). Amyrins from *Protium heptaphyllum* reduce high-fat diet-induced obesity in mice via modulation of enzymatic, hormonal and inflammatory responses. *Planta Medica*, 83, 285-291. <https://doi.org/10.1055/s-0042-114222>
- Carvalho, R. S., Carollo, C. A., Magalhães, J., Palumbo, J. M. C., Boaretto, A., Sá, I. C., Ferraz, A., ... Ferreira, J. M. S. (2018). Antibacterial and antifungal activities of phenolic compound-enriched ethyl acetate fraction from *Cochlospermum regium* (mart. Et. Schr.) Pilger roots: Mechanisms of action and synergism with tannin and gallic acid. *South African Journal of Botany*, 114, 181-187. <https://doi.org/10.1016/j.sajb.2017.11.010>
- Casagrande, J. C., Macorini, L. F. B., Antunes, K. A., Santos, U. P., Campos, J. F., Dias-Júnior, N. M., ... Souza, K. P. (2014). Antioxidant and cytotoxic activity of hydroethanolic extract from *Jacaranda decurrens* leaves. *PLoS One*, 9. <https://doi.org/10.1371/journal.pone.0112748>
- Cecílio, A. B., Faria, D. B. De, Oliveira, P. D. C., Caldas, S., Oliveira, D. A. De, Sobral, M. E. G., ... Almeida, V. L. (2012). Screening of Brazilian medicinal plants for antiviral activity against rotavirus. *rotavirus Journal of Ethnopharmacology*, 141, 975-981. <https://doi.org/10.1016/j.jep.2012.03.031>

- Cesário, F. R. A. S., Albuquerque, T. R., Lacerda, G. M., Oliveira, M. R. C., Silva, B. E. F., Rodrigues, L. B., ... Menezes, I. R. A. (2019). Chemical fingerprint, acute oral toxicity and anti-inflammatory activity of the hydroalcoholic extract of leaves from *Tocoyena formosa* (Cham. & Schlecht.) K. Schum. *Journal of Biology Sciences*, 26, 873-880. <https://doi.org/10.1016/j.sjbs.2018.01.008>
- Cesário, F. R. A. S., de Albuquerque, T. R., de Lacerda, G. M., de Oliveira, M. R. C., Rodrigues, L. B., Martins, A. O. B. P. B., ... de Menezes, I. R. A. (2018). Phytochemical profile and mechanisms involved in the anti-nociception caused by the hydroethanolic extract obtained from *Tocoyena formosa* (Cham. & Schlecht.) K. Schum (Jenipapo-bravo) leaves in mice. *Biomedicine and Pharmacotherapy*, 97, 321-329. <https://doi.org/10.1016/j.biopha.2017.10.054>
- Ceschini, L., & Campos, E. G. (2006). Cytotoxic effects of *Cochlospermum regium* (Mart & Schrank) Pilger aqueous root extract on mammalian cells. *Journal of Ethnopharmacology*, 103, 302-305. <https://doi.org/10.1016/j.jep.2005.07.026>
- Charneau, S., de Mesquita, M. L., Bastos, I. M., Santana, J. M., de Paula, J. E., Grellier, P., & Espindola, L. S. (2016). *In vitro* investigation of Brazilian Cerrado plant extract activity against *Plasmodium falciparum*, *Trypanosoma cruzi* and *T. brucei gambiense*. *Natural Product Research*, 30, 1320-1326. <https://doi.org/10.1080/14786419.2015.1055264>
- Coe, F. G., & Anderson, G. J. (1996). Screening of medicinal plants used by the Garifuna of eastern Nicaragua for bioactive compounds. *Journal of Ethnopharmacology*, 53, 29-50. [https://doi.org/10.1016/0378-8741\(96\)01424-9](https://doi.org/10.1016/0378-8741(96)01424-9)
- Coelho, M. B., Marangoni, S., & Macedo, M. L. R. (2007). Insecticidal action of *Annona coriacea* lectin against the flour moth *Anagasta kuehniella* and the rice moth *Corcyra cephalonica* (Lepidoptera: Pyralidae). *Comparative Biochemistry and Physiology-Part C: Toxicology and Pharmacology*, 146, 406-414. <https://doi.org/10.1016/j.cbpc.2007.05.001>
- Coelho-Ferreira, M. (2009). Medicinal knowledge and plant utilization in an Amazonian coastal community of Marudá, Pará State (Brazil). *Journal of Ethnopharmacology*, 126, 159-175. <https://doi.org/10.1016/j.jep.2009.07.016>
- Conceição, G. M., Ruggieri, A. C., Araujo, T. T. M. M., & Conceição, M. A. M. M. (2011). Plantas do cerrado: comercialização, uso e indicação terapêutica fornecida pelos raizeiros e vendedores, Teresina, Piauí. *Scientia Plena*, 7, 1-6.
- Coqueiro, A. (2006). *Estudo químico e avaliação de atividades biológicas da espécie vegetal Mabea fistulifera Mart. (Euphorbiaceae)* (Master's Thesis, State University of Maringá).
- Coqueiro, A., Sarragiotti, M. H., Zocoler, M. A., & Vidotti, G. J. (2007). Flavanone glycosides from *Mabea fistulifera* Mart. (Euphorbiaceae). *Biochemical Systematics and Ecology*, 35, 717-719. <https://doi.org/10.1016/j.bse.2007.03.011>
- Cordero, C. P., Gómez-González, S., León-Acosta, C. J., Morantes-Medina, S. J., & Aristizabal, F. A. (2004). Cytotoxic activity of five compounds isolated from Colombian plants. *Fitoterapia*, 75, 225-227. <https://doi.org/10.1016/j.fitote.2003.12.017>
- Corrêa, M. P., & Pena, M. A. (1984). Dicionário das Plantas Úteis do Brasil e das Exóticas Cultivadas. *Ministério da Agricultura and Instituto Brasileiro de Desenvolvimento Florestal*, 82, Rio de Janeiro.
- Correia, A. F., Silveira, D., Fonseca-Bazzo, Y. M., Magalhaes, P. O., Fagg, C. W., da Silva, E. C., ... de Medeiros Nobrega, Y. K. (2016). Activity of crude extracts from Brazilian Cerrado plants against clinically relevant *Candida* species. *BMC Complementary Alternative Medicine*, 11, 203. <https://doi.org/10.1186/s12906-016-1164-3>
- Correia, S. J., David, J. M., Silva, E. P., David, J. P., Lopes, L. M. X., & Guedes, M. L. S. (2008). Flavonóides, norisoprenóides e outros terpenos das folhas de *Tapirira guianensis*. *Química Nova*, 31, 2056-2059. <https://doi.org/10.1590/S0100-40422008000800027>
- Correia, S. J., David, J. P., & David, J. M. (2003). Constituintes das cascas de *Tapirira guianensis* (Anacardiaceae). *Química Nova*, 26, 36-38. <https://doi.org/10.1590/S0100-40422003000100008>
- Cortez, D. A. G., Filho, B. A. A., Nakamura, C. V., Filho, B. P. D., Marston, A., & Hostettmann, K. (2002). Antibacterial activity of a biphenyl and xanthones from *Kielmeyera coriacea*. *Pharmaceutical Biology*, 40, 485-489. <https://doi.org/10.1076/phbi.40.7.485.14687>

- Cosenza, G. P., Viana, C. T. R., Campos, P. P., Kohlhoff, M., Fagg, C. W., & Brandão, M. G. L. (2019). Chemical characterization, antihyperlipidaemic and antihyperglycemic effects of Brazilian bitter quina species in mice consuming a high-refined carbohydrate diet. *Journal of Functional Foods*, 54, 220-230. <https://doi.org/10.1016/j.jff.2019.01.030>
- Costa, D. L., Rinaldo, D., Varanda, E. A., Sousa, J. F., Nasser, A. L., Silva, A. C., ... Santos, L. C. (2014). Flavonoid detection in hydroethanolic extract of *Pouteria torta* (Sapotaceae) leaves by HPLC-DAD and the determination of its mutagenic activity. *Journal of Medicinal Foods*, 17, 1103-1112. <https://doi.org/10.1089/jmf.2013.0116>
- Costa, D. P. C., Cruz, A. P. S., Aguiar, L. L. F., Oliveira, J. C. S., Fernandes, G. L. T., Vasconcelos, S. D. D., ... Borba, H. (2008). Effect of *Solanum lycocarpum* aqueous extracts in helminth parasites of conventionally maintained laboratory mice. *Research Journal of Parasitology*, 3, 12-19. <https://doi.org/10.3923/jp.2008.12.19>
- Costa, M. A., Ishida, K., Kaplum, V., Koslyk, E. D., de Mello, J. C., Ueda-Nakamura, T., ... Nakamura, C. V. (2010). Safety evaluation of proanthocyanidin polymer-rich fraction obtained from stem bark of *Stryphnodendron adstringens* (barbatimao) for use as a pharmacological agent. *Regulatory Toxicology and Pharmacology*, 58, 330-335. [https://doi.org/10.1016/j.yrtph.2010.07.006Get](https://doi.org/10.1016/j.yrtph.2010.07.006)
- Costa, M. F., Jesus, T. I., Lopes, B. R. P., Angolini, C. F. F., Montagnolli, A., Gomes, L. de P., ... Toledo, K. A. (2016). *Eugenia aurata* and *Eugenia punicifolia* HBK inhibit inflammatory response by reducing neutrophil adhesion, degranulation and NET release. *BMC Complementary Alternative Medicine*, 16. <https://doi.org/10.1186/s12906-016-1375-7>
- Costa, M. S., Pinheiro, D. O., Serrão, J. E., & Pereira, M. J. B. (2012). Morphological changes in the midgut of *Aedes aegypti* L. (Diptera: Culicidae) larvae following exposure to an *Annona coriacea* (Magnoliales: Annonaceae) extract. *Neotropical Entomology*, 41, 311-314. <https://doi.org/10.1007/s13744-012-0050-z>
- Costa, R. C., Santana, D. B., Araujo, R. M., de Paula, J. E., Nascimento, P. C., Lopes, N. P., ... Espindola, L. S. (2014). Discovery of the rapanone and suberonone mixture as a motif for leishmanicidal and antifungal applications. *Bioorganic and Medicinal Chemistry*, 22, 135-140.
- Costa, T. R., Fernandes, O. F. L., Santos, S. C., Oliveira, C. M. A., Lião, L. M., Ferri, P. H., ... Silva, M. D. R. R. (2000). Antifungal activity of volatile constituents of *Eugenia dysenterica* leaf oil. *Journal of Ethnopharmacology*, 72, 111-117. [https://doi.org/10.1016/S0378-8741\(00\)00214-2](https://doi.org/10.1016/S0378-8741(00)00214-2)
- Costanzo, C. D. G., Fernandes, V. C., Zingaretti, S., Beleboni, R. O., Pereira, A. M. S., Marins, M., ... Fachin, A. L. (2013). Isolation of flavonoids from *Anemopaegma arvense* (vell) stellf. ex de Souza and their antifungal activity against *Trichophyton rubrum*. *Brazilian Journal of Pharmaceutical Sciences*, 49, 559-565. <https://doi.org/10.1590/S1984-82502013000300017>
- Coutinho, I. D., Cardoso, C. A. L., Ré-Poppi, N., Melo, A. M., Vieira, M. D. C., Honda, N. K., & Coelho, R. G. (2009). Gas Chromatography-Mass Spectrometry (GC-MS) and evaluation of antioxidant and antimicrobial activities of essential oil of *Campomanesia adamantium* (Cambess.) O. Berg (Guavira). *Brazilian Journal of Pharmaceutical Sciences*, 45, 767-776. <https://doi.org/10.1590/S1984-82502009000400022>
- Coutinho, I. D., Coelho, R. G., Kataoka, V. M. F., Honda, N. K., Silva, J. R. M., Vilegas, W., & Cardoso, C. A. L. (2008). Determination of phenolic compounds and evaluation of antioxidant capacity of *Campomanesia adamantium* leaves. *Eclética Química*, 33, 53-60. <https://doi.org/10.1590/S0100-46702008000400007>
- Crevelin, E. J., Turatti, I. C. C., Crotti, A. E. M., Veneziani, R. C. S., Lopes, J. L. C., Lopes, N. P., & Cunha, W. R. (2006). Identification of biologically active triterpenes and sterols present in hexane extracts from *Miconia* species using high-resolution gas chromatography. *Biomedical Chromatography*, 20, 827-830. <https://doi.org/10.1002/bmc.609>
- Cruz, G. L. (1965). *Livro Verde das Plantas Medicinais e Industriais do Brasil*. Helmus Editora, Belo Horizonte.
- Cunha, N. L., Uchoa, C. J., Cintra, L. S., Souza, H. C., Peixoto, J. A., Silva, C. P., ... Januario, A. H. (2012). In vitro schistosomicidal activity of some Brazilian Cerrado species and their isolated compounds. *Evidence-based Complementary and Alternative Medicine*, 2012, 173614. <https://doi.org/10.1155/2012/173614>
- da Silva Marcondes, D. B., Reichert, C. L., de Andrade, L. F., de Moraes Santos, C. A., & Weffort-Santos, A. M. (2014). Cytotoxicity and apoptogenic effects of *Lafoensia pacari*. *Journal of Ethnopharmacology*, 157, 243-250. <https://doi.org/10.1016/j.jep.2014.09.018>

- da Silva Santos, E., Garcia, F. P., Outuki, P. M., Hoscheid, J., Nunes de Goes, P. R., Cardozo-Filho, L., Nakamura, C. V., & Carvalho Cardoso, M. L. (2016). Optimization of extraction method and evaluation of antileishmanial activity of oil and nanoemulsions of *Pterodon pubescens* benth. fruit extracts. *Experimental Parasitology*, 170, 252-260. <https://doi.org/10.1016/j.exppara.2016.10.004>
- da Silva, S. L., Chaar, J. S., Figueiredo, P. M. S., & Yano, T. (2008a). Cytotoxic evaluation of essential oil from *Casearia sylvestris* Sw on human cancer cells and erythrocytes. *Acta Amazonica*, 38, 107-112. <https://doi.org/10.1590/S0044-59672008000100012>
- da Silva, V. C., De Carvalho, M. G., & Alves, A. N. (2008b). Chemical constituents from leaves of *Palicourea coriacea* (Rubiaceae). *Journal of Natural Medicines*, 62, 356-357. <https://doi.org/10.1007/s11418-008-0227-2>
- Daniel Daza, L., Fujita, A., Granato, D., Silvia Fávaro-Trindade, C., & Inés Genovese, M. (2017). Functional properties of encapsulated Cagaita (*Eugenia dysenterica* DC.) fruit extract. *Food Biosciences*, 18, 15-21. <https://doi.org/10.1016/j.fbio.2017.03.003>
- Das, S., Das, J., Paul, A., Samadder, A., & Khuda-Bukhsh, A. R. (2013). Apigenin, a bioactive flavonoid from *Lycopodium clavatum*, stimulates nucleotide excision repair genes to protect skin keratinocytes from ultraviolet B-induced reactive oxygen species and DNA damage. *Journal of Acupuncture and Meridian Studies*, 6, 252-262. <https://doi.org/10.1016/j.jams.2013.07.002>
- David, J. M., Chavez, J. P., Chai, H. B., Pezzuto, J. M., & Cordell, G. A. (1998). Two new cytotoxic compounds from *Tapirira guianensis*. *Journal of Natural Products Research*, 61, 287-289. <https://doi.org/10.1021/np970422v>
- David, J. P., Meira, M., David, J. M., Brandão, H. N., Branco, A., de Fátima Agra, M., ... Giulietti, A. M. (2007). Radical scavenging, antioxidant and cytotoxic activity of Brazilian Caatinga plants. *Fitoterapia*, 78, 215-218. <https://doi.org/10.1016/j.fitote.2006.11.015>
- de Albuquerque, U. P., de Medeiros, P. M., de Almeida, A. L. S., Monteiro, J. M., de Freitas Lins Neto, E. M., de Melo, J. G., & dos Santos, J. P. (2007). Medicinal plants of the Caatinga (semi-arid) vegetation of NE Brazil: A quantitative approach. *Journal of Ethnopharmacology*, 114, 325-354. <https://doi.org/10.1016/j.jep.2007.08.017>
- de Almeida, V. L., Silva, C. G., Silva, A. F., Campana, P. R. V., Foubert, K., Lopes, J. C. D., & Pieters, L. (2019). *Aspidosperma* species: A review of their chemistry and biological activities. *Journal of Ethnopharmacology*, 231, 125-140. <https://doi.org/10.1016/j.jep.2018.10.039>
- de Freitas, A. L. D., Kaplum, V., Rossi, D. C. P., da Silva, L. B. R., Melhem, M. S. C., Taborda, C. P., ... Ishida, K. (2018). Proanthocyanidin polymeric tannins from *Stryphnodendron adstringens* are effective against *Candida* spp. isolates and for vaginal candidiasis treatment. *Journal of Ethnopharmacology*, 216, 184-190. <https://doi.org/10.1016/j.jep.2018.01.008>
- de Lima, E. M., Cazelli, D. S. P., Pinto, F. E., Mazuco, R. A., Kalil, I. C., Lenz, D., ... Endringer, D. C. (2016). Essential oil from the resin of *Protium heptaphyllum*: Chemical composition, cytotoxicity, antimicrobial activity, and antimutagenicity. *Pharmacognosy Magazine*, 12, S42-S46. <https://doi.org/10.4103/0973-1296.176113>
- de Mattos, E. S., Frederico, M. J., Colle, T. D., de Pieri, D. V., Peters, R. R., & Piovezan, A. P. (2007). Evaluation of antinociceptive activity of *Casearia sylvestris* and possible mechanism of action. *Journal of Ethnopharmacology*, 112, 1-6. <https://doi.org/10.1016/j.jep.2007.01.034>
- de Melo, K. M., de Oliveira, F. T. B., Costa Silva, R. A., Gomes Quinderé, A. L., Marinho Filho, J. D. B., Araújo, A. J., ... Santos, F. A. (2019).  $\alpha$ ,  $\beta$ -Amyrin, a pentacyclic triterpenoid from *Protium heptaphyllum* suppresses adipocyte differentiation accompanied by down regulation of PPAR $\gamma$  and C/EBP $\alpha$  in 3T3-L1 cells. *Biomedicine and Pharmacotherapy*, 109, 1860-1866. <https://doi.org/10.1016/j.biopha.2018.11.027>
- de Mesquita, M. L., Araujo, R. M., Bezerra, D. P., Filho, R. B., de Paula, J. E., Silveira, E. R., ... Espindola, L. S. (2011). Cytotoxicity of delta-tocotrienols from *Kielmeyera coriacea* against cancer cell lines. *Bioorganic and Medicinal Chemistry*, 19, 623-630. <https://doi.org/10.1016/j.bmc.2010.10.044>
- de Mesquita, M. L., Grellier, P., Mambu, L., de Paula, J. E., & Espindola, L. S. (2007). *In vitro* antiplasmoidal activity of Brazilian Cerrado plants used as traditional remedies. *Journal of Ethnopharmacology*, 110, 165-170. <https://doi.org/10.1016/j.jep.2006.09.015>

- de Mesquita, M. L., Leão, W. F., Ferreira, M. R., de Paula, J. E., Espindola, L. S., & Soares, L. A. (2015). Reversed-phase-liquid chromatography method for separation and quantification of gallic acid from hydroalcoholic extracts of *Qualea grandiflora* and *Qualea parviflora*. *Pharmacognosy Magazine*, 11, S316-321. <https://doi.org/10.4103/0973-1296.166062>
- de Morais, M. C., De Almeida, P. H. G., Ferreira, N. L. O., Arruda, R. L., Borges, L. L., De Freitas, O., & Da Conceição, E. C. (2018). Validation of a photostability indicating method for quantification of furanocoumarins from *Brosimum gaudichaudii* soft extract. *Brazilian Journal of Pharmacognosy*, 28, 118-123. <https://doi.org/10.1016/j.bjp.2017.12.002>
- de Oliveira, F. de F. S., Aguiar, P. N. C., Ribeiro, G. de J. G., de Amorim, M. L. L., Guimarães, P. S. S., Filho, C. V. M., ... Grael, C. F. F. (2015). Antioxidant activity and phytochemical screening of extracts of *Erythroxylum suberosum* A.St.-Hil (Erythroxylaceae). *Research Journal of Phytochemistry*, 9, 68-78. <https://doi.org/10.3923/rjphyto.2015.68.78>
- de Santana Aquino, D. F., Signor Tirloni, C. A., Tolouei Menegati, S. E. L., Lima Cardoso, C. A., Heredia Vieira, S. C., Carmo Vieira, M., ... Gasparotto, A. (2017). *Alibertia edulis* (L.C. Rich.) A.C. Rich-A potent diuretic arising from Brazilian indigenous species. *Journal of Ethnopharmacology*, 196, 193-200. <https://doi.org/10.1016/j.jep.2016.12.024>
- de Sousa, J. R., Silva, G. D. F., Pedersoli, J. L., & Alves, R. J. (1990). Friedelane and oleanane triterpenoids from bark wood of *Austroplenckia populnea*. *Phytochemistry*, 29, 3259-3261. [https://doi.org/10.1016/0031-9422\(90\)80195-M](https://doi.org/10.1016/0031-9422(90)80195-M)
- de Sousa, J. R., Silva, G. D. F., Pedersoli, J. L., & Alves, R. J. (1990). Friedelane and oleanane triterpenoids from bark wood of *Austroplenckia populnea*. *Phytochemistry*, 29, 3259-3261.
- de Souza, C. P., Azevedo, M. L., Lopes, J. L., Sarti, S. J., Santos Filho, D., Lopes, J. N., ... Leitão Filho, H. F. (1984). Chemoprophylaxis of schistosomiasis: molluscacidal activity of natural products-assays with adult snails and oviposition. *Anais da Academia Brasileira de Ciências*, 56, 333-338.
- de Souza, R. G. M., Gomes, A. C., Castro, I. A., & Mota, J. F. (2018). A baru almond-enriched diet reduces abdominal adiposity and improves high-density lipoprotein concentrations: a randomized, placebo-controlled trial. *Nutrition*, 55, 154-160. <https://doi.org/10.1016/j.nut.2018.06.001>
- de Souza, V. R., Pereira, P. A. P., Queiroz, F., Borges, S. V., & Carneiro, J. D. S. (2012). Determination of bioactive compounds, antioxidant activity and chemical composition of Cerrado *Brazilian Fruits Food Chemistry*, 134, 381-386. <https://doi.org/10.1016/j.foodchem.2012.02.191>
- Deharo, E., Bourdy, G., Quenevo, C., Muñoz, V., Ruiz, G., & Sauvain, M. (2001). A search for natural bioactive compounds in Bolivia through a multidisciplinary approach. Part V. Evaluation of the antimalarial activity of plants used by the Tacana Indians. *Journal of Ethnopharmacology*, 77, 91-98. [https://doi.org/10.1016/S0378-8741\(01\)00270-7](https://doi.org/10.1016/S0378-8741(01)00270-7)
- Díaz, M., González, A., Castro-Gamboa, I., Gonzalez, D., & Rossini, C. (2008). First record of l-quebrachitol in *Allophylus edulis* (Sapindaceae). *Carbohydrate Research*, 343, 2699-2700. <https://doi.org/10.1016/j.carres.2008.07.014>
- do Nascimento, C. A., Lião, L. M., Kato, L., da Silva, C. C., Tanaka, C. M. A., Schuquel, I. T. A., & de Oliveira, C. M. A. (2008). A tetrahydro β-carboline trisaccharide from *Palicourea coriacea* (Cham.) K. Schum. *Carbohydrate Research*, 343, 1104-1107. <https://doi.org/10.1016/j.carres.2008.01.032>
- do Nascimento, C. J., Violante, I. M. P., Garcez, W. S., Pott, A., & Garcez, F. R. (2012a). Biologically active abietane and ent-kaurane diterpenoids and other constituents from *Erythroxylum suberosum*. *Phytochemistry Letters*, 5, 401-406. <https://doi.org/10.1016/j.phytol.2012.03.013>
- do Nascimento, M. E., Zoghbi, M. G. B., Brasil Pereira Pinto, J. E., & Vilela Bertolucci, S. K. (2012b). Chemical variability of the volatiles of *Copaifera langsdorffii* growing wild in the Southeastern part of Brazil. *Biochemical Systematics and Ecology*, 43, 1-6 <https://doi.org/10.1016/j.bse.2012.02.003>
- Dolabela, M. F., Oliveira, S. G., Peres, J. M., Nascimento, J. M. S., Póvoa, M. M., & Oliveira, A. B. (2012). *In vitro* antimalarial activity of six *Aspidosperma* species from the state of Minas Gerais (Brazil). *Anais da Academia Brasileira de Ciências*, 84, 899-910. <https://doi.org/10.1590/S0001-37652012000400005>

- Donado-Pestana, C. M., Belchior, T., & Genovese, M. I. (2015). Phenolic compounds from cagaita (*Eugenia dysenterica* DC.) fruit prevent body weight and fat mass gain induced by a high-fat, high-sucrose diet. *Food Research International*, 77, 177-185. <https://doi.org/10.1016/j.foodres.2015.06.044>
- dos Santos, A. G., Ferreira, P. M., Vieira Junior, G. M., Perez, C. C., Gomes Tininis, A., Silva, G. H., ... Cavalheiro, A. J. (2010). Casearin X, its degradation product and other clerodane diterpenes from leaves of *Casearia sylvestris*: evaluation of cytotoxicity against normal and tumor human cells. *Chemistry and Biodiversity*, 7, 205-215. <https://doi.org/10.1002/cbdv.200800342>
- dos Santos, C., Galaverna, R., Angolini, C., Nunes, V., de Almeida, L., Ruiz, A., ... Eberlin, M. (2018). Antioxidative, antiproliferative and antimicrobial activities of phenolic compounds from three *Myrcia* Species. *Molecules*, 23, 986. <https://doi.org/10.3390/molecules23050986>
- dos Santos, J. L., Dantas, R. E. A., Lima, C. A., de Araújo, S. S., de Almeida, E. C. V., Marçal, A. C., & Estevam, C. S. (2014). Protective effect of a hydroethanolic extract from *Bowdichia virgilioides* on muscular damage and oxidative stress caused by strenuous resistance training in rats. *Journal of International Society of Sports Nutrition*, 11. <https://doi.org/10.1186/s12970-014-0058-3>
- Duarte, A. R., Naves, R. R., Santos, S. C., Seraphin, J. C., & Ferri, P. H. (2009). Seasonal influence on the essential oil variability of *Eugenia dysenterica*. *Journal of Brazilian Chemical Society*, 20, 967-974. <https://doi.org/10.1590/S0103-50532009000500023>
- Duarte-Almeida, J. M., Negri, G., & Salatino, A. (2004). Volatile oils in leaves of *Bauhinia* (Fabaceae Caesalpinioideae). *Biochemical Systematics and Ecology*, 32, 747-753. <https://doi.org/10.1016/j.bse.2004.01.003>
- El-Azizi, M. M., Ateya, A. M., Svoboda, G. H., Schiff, P. L., Slatkin, D. J., & Knapp, J. E. (1980). Chemical constituents of *Curatella americana* (dilleniaceae). *Journal of Pharmaceutical Sciences*, 69, 360-361. <https://doi.org/10.1002/jps.2600690333>
- Endringer, D. C., Pezzuto, J. M., & Braga, F. C. (2009a). NF-κB inhibitory activity of cyclitols isolated from *Hancornia speciosa*. *Phytomedicine*, 16, 1064-1069. <https://doi.org/10.1016/j.phymed.2009.03.022>
- Endringer, D. C., Valadares, Y. M., Campana, P. R. V., Campos, J. J., Guimarães, K. G., Pezzuto, J. M., & Braga, F. C. (2009b). Evaluation of Brazilian plants on cancer chemoprevention targets *in vitro*. *Phytherapy Research*, 24. <https://doi.org/10.1002/ptr.3050>
- Espanha, L. G., Resende, F. A., de Sousa Lima Neto, J., Boldrin, P. K., Nogueira, C. H., de Camargo, M. S., ... Varanda, E. A. (2014). Mutagenicity and antimutagenicity of six Brazilian *Byrsonima* species assessed by the Ames test. *BMC Complementary Alternative Medicine*, 14, 1-10. <https://doi.org/10.1186/1472-6882-14-182>
- Espindola, L. S., Dusi, R., Demarque, D., Braz-Filho, R., Yan, P., Bokesch, H., ... Beutler, J. (2018). Cytotoxic Triterpenes from *Salacia crassifolia* and Metabolite Profiling of Celastraceae Species. *Molecules*, 23, 1494. <https://doi.org/10.3390/molecules23061494>
- Espindola, L. S., Vasconcelos Junior, J. R., de Mesquita, M. L., Marquie, P., de Paula, J. E., Mambu, L., & Santana, J. M. (2004). Trypanocidal activity of a new diterpene from *Casearia sylvestris* var. lingua. *Planta Medica*, 70, 1093-1095. <https://doi.org/10.1055/s-2004-832655>
- Espindola, P. P. de T., da Rocha, P. D. S., Carollo, C. A., Schmitz, W. O., Pereira, Z. V., Vieira, M. do C., ... de Picoli Souza, K. (2016). Antioxidant and Antihyperlipidemic Effects of *Campomanesia adamantium* O. Berg Root. *Oxidative Medicine and Cellular Longevity*, 2016, 7910340. <https://doi.org/10.1155/2016/7910340>
- Esteves, I., Souza, I. R., Rodrigues, M., Cardoso, L. G., Santos, L. S., Sertie, J. A., ... Carvalho, J. C. (2005). Gastric antiulcer and anti-inflammatory activities of the essential oil from *Casearia sylvestris* Sw. *Journal of Ethnopharmacology*, 101, 191-196. <https://doi.org/10.1016/j.jep.2005.04.020>
- Esteves-Pedro, N. M., Borim, T., Nazato, V. S., Silva, M. G., Lopes, P. S., dos Santos, M. G., ... Oshima-Franco, Y. (2012). *In vitro* and *in vivo* safety evaluation of *Dipteryx alata* Vogel extract. *BMC Complementary Alternative Medicine*, 12, 9. <https://doi.org/10.1186/1472-6882-12-9>
- Farmacopeia Brasileira. (2017). *Formulário Homeopático* (1st ed.) Agência Nacional de Vigilância Sanitária-Anvisa.

- Felicio, J. D., Lins, A. P., Simoni, I. C., & Gonçalves, C. R. (1994). Constituents of *Cybistax antisiphylitica*. *Fitoterapia*, 65, 281-282.
- Felício, J., Gonçalez, E., Braggio, M., Costantino, L., Albasini, A., & Lins, A. (1995). Inhibition of lens aldose reductase by biflavones from *Ouratea spectabilis*. *Planta Medica*, 61, 217-220. <https://doi.org/10.1055/s-2006-958059>
- Felipe, K. B., Kwiecinski, M. R., Silva, F. O., Bucker, N. F., Farias, M. S., Castro, L. S., ... Pedrosa, R. C. (2014). Inhibition of tumor proliferation associated with cell cycle arrest caused by extract and fraction from *Casearia sylvestris* (Salicaceae). *Journal of Ethnopharmacology*, 155, 1492-1499. <https://doi.org/10.1016/j.jep.2014.07.040>
- Feres, C. A., Madalosso, R. C., Rocha, O. A., Leite, J. P., Guimaraes, T. M., Toledo, V. P., & Tagliati, C. A. (2006). Acute and chronic toxicological studies of *Dimorphandra mollis* in experimental animals. *Journal of Ethnopharmacology*, 108, 450-456. <https://doi.org/10.1016/j.jep.2006.06.002>
- Fernandes, D., Alves, A., De Castro, G., Jordão, A., & Naves, M. (2015a). Effects of baru almond and Brazil Nut against hyperlipidemia and oxidative stress *in vivo*. *Journal of Food Research*, 4, 1330-1336. <https://doi.org/10.5539/jfr.v4n4p38>
- Fernandes, T. O., Ávila, R. I., Moura, S. S., Ribeiro, G. M., Naves, M. M. V., & Valadares, M. C. (2015b). *Campomanesia adamantium* (Myrtaceae) fruits protect HEPG2 cells against carbon tetrachloride-induced toxicity. *Toxicological Reports*, 2, 184-193. <https://doi.org/10.1016/j.toxrep.2014.11.018>
- Ferraz, M., Parrilha, L., Moraes, M., Filho, J., Cogo, J., Santos, M., ... Oshima-Franco, Y. (2012). The effect of lupane triterpenoids (*Dipteryx alata* Vogel) in the *in vitro* neuromuscular blockade and myotoxicity of two snake venoms. *Current Organic Chemistry*, 16, 2717-2723. <https://doi.org/10.2174/138527212804004481>
- Ferreira, H. C., Serra, C. P., Endringer, D. C., Lemos, V. S., Braga, F. C., & Cortes, S. F. (2007a). Endothelium-dependent vasodilation induced by *Hancornia speciosa* in rat superior mesenteric artery. *Phytomedicine*, 14, 473-478. <https://doi.org/10.1016/j.phymed.2006.11.008>
- Ferreira, H. C., Serra, C. P., Lemos, V. S., Braga, F. C., & Cortes, S. F. (2007b). Nitric oxide-dependent vasodilatation by ethanolic extract of *Hancornia speciosa* via phosphatidyl-inositol 3-kinase. *Journal of Ethnopharmacology*, 109, 161-164. <https://doi.org/10.1016/j.jep.2006.06.009>
- Ferreira, L. C., Grabe-Guimarães, A., De Paula, C. A., Michel, M. C. P., Guimarães, R. G., Rezende, S. A., ... Saúde-Guimarães, D. A. (2013). Anti-inflammatory and antinociceptive activities of *Campomanesia adamantium*. *Journal of Ethnopharmacology*, 145, 100-108. <https://doi.org/10.1016/j.jep.2012.10.037>
- Ferreira, N. S. O., Rosset, M., Lima, G., Stuelo Campelo, P. M., & de Macedo, R. E. F. (2019). Effect of adding *Brosimum gaudichaudii* and *Pyrostegia venusta* hydroalcoholic extracts on the oxidative stability of beef burgers. *LWT-Food Science and Technology*, 108, 145-152. <https://doi.org/10.1016/j.lwt.2019.03.041>
- Ferreira, P. M. P., Bezerra, D. P., Silva, J. N., Costa, M. P., Ferreira, J. R. O., Alencar, N. M. N., ... Pessoa, C. (2016). Preclinical anticancer effectiveness of a fraction from *Casearia sylvestris* and its component Casearin X: *in vivo* and *ex vivo* methods and microscopy examinations. *Journal of Ethnopharmacology*, 186, 270-279. <https://doi.org/10.1016/j.jep.2016.04.011>
- Ferreira, P. M., Costa-Lotufo, L. V., Moraes, M. O., Barros, F. W., Martins, A. M., Cavalheiro, A. J., ... Pessoa, C. (2011). Folk uses and pharmacological properties of *Casearia sylvestris*: a medicinal review. *Anais da Academia Brasileira de Ciências*, 83, 1373-1384. <https://doi.org/10.1590/S0001-37652011005000040>
- Ferreira-Nunes, R., Silva, S. M. M. da, Souza, P. E. N. de, Magalhães, P. de O., Cunha-Filho, M., Gratieri, T., & Gelfuso, G. M. (2018). Incorporation of *Eugenia dysenterica* extract in microemulsions preserves stability, antioxidant effect and provides enhanced cutaneous permeation. *Journal of Molecular Liquids*, 265, 408-415. <https://doi.org/10.1016/j.molliq.2018.06.023>
- Fidelis-de-Oliveira, P., Aparecida-Castro, S., Silva, D. B., Moraes, I. B. de M., Miranda, V. H. M. de, de Gobbi, J. I., ... Bispo-da-Silva, L. B. (2020). Hypotensive effect of *Eugenia dysenterica* leaf extract is primarily related to its vascular action: The possible underlying mechanisms. *Journal of Ethnopharmacology*, 251. <https://doi.org/10.1016/j.jep.2019.112520>
- Figueiredo, M. E., Michelin, D. C., Sannomiya, M., Silva, M. A., Santos, L. C., Almeida, L. F. R., ... Vilegas, W. (2005). Avaliação química e da atividade antidiarreica das folhas de *Byrsonia cinerea* DC. (Malpighiaceae).

- Brazilian Journal of Pharmaceutical Sciences*, 41, 79-83. <https://doi.org/10.1590/S1516-93322005000100009>
- Fonseca, L., Bastos, G. A., Costa, M. A. M. S., Ferreira, A. V. P. F., Silva, M., Vieira, T. M., ... Duarte, E. R. (2018). Effects of aqueous extracts of *Caryocar brasiliense* in mice. *Acta Scientiae Veterinariae*, 44, 1359. <https://doi.org/10.22456/1679-9216.80935>
- Formagio, A. S. N., Masetto, T. E., Baldivia, D. D. S., Vieira, M. C., Zárate, N. A. H., & Pereira, Z. V. (2010). Potencial alelopático de cinco espécies da família Annonaceae. *Brazilian Journal of Bioscience*, 8, 349-354.
- Formagio, A. S. N., Vieira, M. C., Volobuff, C. R. F., Silva, M. S., Matos, A. I., Cardoso, C. A. L., ... Carvalho, J. E. (2015). In vitro biological screening of the anticholinesterase and antiproliferative activities of medicinal plants belonging to Annonaceae. *Brazilian Journal of Medical and Biological Research*, 48, 308-315. <https://doi.org/10.1590/1414-431X20144127>
- Formagio, A. S., Kassuya, C. A., Neto, F. F., Volobuff, C. R., Iriguchi, E. K., Vieira M, C., & Foglio, M. A. (2013). The flavonoid content and antiproliferative, hypoglycaemic, anti-inflammatory and free radical scavenging activities of *Annona dioica* St. Hill. *BMC Complementary Alternative Medicine*, 13, 14. <https://doi.org/10.1186/1472-6882-13-14>
- Francielli de Oliveira, P., Acesio, N. O., Leandro, L. F., Cunha, N. L., Uchoa, C. J., Januario, A. H., & Tavares, D. C. (2014). Antigenotoxicity of *Roupala montana* extract in the mouse micronucleus and comet assays. *Drug and Chemical Toxicology*, 37, 93-99. <https://doi.org/10.3109/01480545.2013.834346>
- Franco, E. A. P., & Barros, R. F. M. (2006). Uso e diversidade de plantas medicinais no quilombo Olho D'água dos Pires, Esperantina, Piauí. *Brazilian Journal of Medicinal Plants*, 8, 78-88.
- Franco, I. J., & Fontana, V. L. (2001). *Ervas & plantas: A medicina dos simples* (6th ed.). Edelbra, Erechim.
- Franco, R. R., Justino, A. B., Martins, M. M., Silva, C. G., Campana, P. R. V., Lopes, J. C. D., ... Espindola, F. S. (2019). Phytoscreening of Vochysiaceae species: Molecular identification by HPLC-ESI-MS/MS and evaluating of their antioxidant activity and inhibitory potential against human  $\alpha$ -amylase and protein glycation. *Bioorganic Chemistry*, 91, 103122. <https://doi.org/10.1016/j.bioorg.2019.103122>
- Freitas, A. F., Pereira, F. F., Formagio, A. S. N., Lucchetta, J. T., Vieira, M. C., & Mussury, R. M. (2014). Effects of methanolic extracts of *Annona* species on the development and reproduction of *Spodoptera frugiperda* (J.E. Smith) (Lepidoptera: Noctuidae). *Neotropical Entomology*, 43, 446-452. <https://doi.org/10.1007/s13744-014-0225-x>
- Freitas, P. C. M., Pucci, L. L., Vieira, M. S., Lino, R. S., Oliveira, C. M. A., Cunha, L. C., ... Valadares, M. C. (2011). Diuretic activity and acute oral toxicity of *Palicourea coriacea* (Cham.) K Schum. *Journal of Ethnopharmacology*, 134, 501-503. <https://doi.org/10.1016/j.jep.2010.12.002>
- Frischkorn, C. G., Frischkorn, H. E., & Carrazzoni, E. (1978). Cercaricidal activity of some essential oils of plants from Brazil. *Naturwissenschaften*, 65, 480-3. <https://doi.org/10.1007/bf00702834>
- Fujishima, M. T., Silva, N., Ramos, R., Ferreira, E. B., Santos, K., Silva, C., ... Santos, C. (2018). An antioxidant potential, quantum-chemical and molecular docking study of the major chemical constituents present in the leaves of *Curatella americana* Linn. *Pharmaceuticals*, 11, 72. <https://doi.org/10.3390/ph11030072>
- Gachet, M. S., & Schühly, W. (2009). Jacaranda-An ethnopharmacological and phytochemical review. *Journal of Ethnopharmacology*, 121, 14-27. <https://doi.org/10.1016/j.jep.2008.10.015>
- Galheigo, M. R. U., Prado, L. C. D. S., Mundin, A. M. M., Gomes, D. O., Chang, R., Lima, A. M. C., ... Bispo-Da-Silva, L. B. (2016). Antidiarrhoeic effect of *Eugenia dysenterica* DC (Myrtaceae) leaf essential oil. *Natural Products Research*, 30, 1182-1185. <https://doi.org/10.1080/14786419.2015.1043633>
- Ganapaty, S., Thomas, P. S., Mallika, B. N., Balaji, S., Karagianis, G., & Waterman, P. G. (2005). Dimeric naphthoquinones from *Diospyros discolor*. *Biochemical Systematics and Ecology*, 33, 313-315. <https://doi.org/10.1016/j.bse.2004.07.002>
- Garavito, G., Rincon, J., Arteaga, L., Hata Uribe, Y., Bourdy, G., Gimenez, A., ... Deharo, E. (2006). Antimalarial activity of some Colombian medicinal plants. *Journal of Ethnopharmacology*, 107, 460. <https://doi.org/10.1016/j.jep.2006.03.033>
- Garcez, F. R., Garcez, W. S., Martins, M., Matos, M. F., Gutierrez, Z. R., Mantovani, M. S., ... Nakashita, S. T. (2005a). Cytotoxic and genotoxic butanolides and lignans from *Ajouea trinervis*. *Planta Medica*, 71, 923-927. <https://doi.org/10.1055/s-2005-871251>

- Garcez, F., Garcez, W., Martins, M., & Lopes, F. (2003). Triterpenoids, lignan and flavans from *Terminalia argentea* (Combretaceae). *Biochemical Systematics and Ecology*, 31, 229-232. [https://doi.org/10.1016/S0305-1978\(02\)00090-X](https://doi.org/10.1016/S0305-1978(02)00090-X)
- Garcez, W. S., Garcez, F. R., da Silva, L. M. G. E., & Shimabukuro, A. A. (2005b). Indole alkaloid and other constituents from *Ocotea minarum*. *Journal of Brazilian Chemical Society*, 16, 1382-1386. <https://doi.org/10.1590/S0103-50532005000800013>
- Garcez, W. S., Garcez, F. R., Tieppo, C., Nunes De Freitas, O., & Hamerski, L. (2010). Isoflavones and flavonols from *Andira humilis*. *Biochemical Systematics and Ecology*, 38, 1242-1245. <https://doi.org/10.1016/j.bse.2010.12.009>
- Garcia Cortez, D. A., Young, M. C. M., Marston, A., Wolfender, J. L., & Hostettmann, K. (1998). Xanthones, triterpenes and a biphenyl from *Kielmeyera coriacea*. *Phytochemistry*, 47, 1367-1374, [https://doi.org/10.1016/S0031-9422\(97\)00731-0](https://doi.org/10.1016/S0031-9422(97)00731-0)
- García-Barriga, H. (1974). *Plantas medicinales de Colombia*. Instituto de Ciencias Naturales, Universidad Nacional, Imprenta Nacional, Bogotá.
- Gasca, C. A., Castillo, W. O., Takahashi, C. S., Fagg, C. W., Magalhães, P. O., Fonseca-Bazzo, Y. M., & Silveira, D. (2017). Assessment of anti-cholinesterase activity and cytotoxicity of cagaita (*Eugenia dysenterica*) leaves. *Food and Chemical Toxicology*, 109, 996-1002. <https://doi.org/10.1016/j.fct.2017.02.032>
- Gaspi, F. O., Foglio, M. A., Carvalho, J. E., & Moreno, R. A. (2006). Pharmacological activities investigation of crude extracts and fractions from *Qualea grandiflora* Mart. *Journal of Ethnopharmacology*, 107, 19-24. <https://doi.org/10.1016/j.jep.2006.01.023>
- Gelmini, F., Beretta, G., Anselmi, C., Centini, M., Magni, P., Ruscica, M., ... Maffei Facino, R. (2013). GC-MS profiling of the phytochemical constituents of the oleoresin from *Copaisera langsdorffii* Desf. and a preliminary *in vivo* evaluation of its antipsoriatic effect. *International Journal of Pharmaceutics*, 440, 170-178. <https://doi.org/10.1016/j.ijpharm.2012.08.021>
- Gomes, I. N. F., Silva-Oliveira, R. J., Oliveira Silva, V. A., Rosa, M. N., Vital, P. S., Barbosa, M. C. S., ... de Azambuja Ribeiro, R. I. M. (2019). *Annona coriacea* Mart. fractions promote cell cycle arrest and inhibit autophagic flux in human cervical cancer cell lines. *Molecules*, 24. <https://doi.org/10.3390/molecules24213963>
- Gomes, R. de C., Bonamin, F., Darin, D. D., Seito, L. N., Stasi, L. C. Di, Dokkedal, A. L., ... Hiruma-Lima, C. A. (2009). Antioxidative action of methanolic extract and buthanolic fraction of *Vochysia tucanorum* Mart. in the gastroprotection. *Journal of Ethnopharmacology*, 121, 466-471. <https://doi.org/10.1016/j.jep.2008.11.013>
- Gonçalves de Lima, O., Weigert, E., Marini-Bettolo, G. B., Maciel, G. M., & de Barros Coelho, J. S. (1972). Antimicrobial Substances of Higher Plants, XXXVIII: Isolation and Identification of Maitenin and Pristimerin from Roots of *Plenckia populnea* Collected from Woods Near University of Brasilia. *Revista do Instituto dos Antibióticos*, 12-19.
- González-Guevara, J. L., Vélez-Castro, H., González-García, K. L., Payo-Hill, A. L., González-Lavaut, J. A., Molina-Torres, J., & Prieto-González, S. (2006). Flavonoid glycosides from Cuban *Erythroxylum* species. *Biochemical Systematics and Ecology*, 34, 539-542. <https://doi.org/10.1016/j.bse.2006.01.003>
- Gottlieb, O. R., da Silva, M. L., & Maia, J. G. S. (1972). Distribution of coumarins in Amazonian *Brosimum* species. *Phytochemistry*, 11, 3479-3480. [https://doi.org/10.1016/S0031-9422\(00\)89841-6](https://doi.org/10.1016/S0031-9422(00)89841-6)
- Grangeiro, M. S., Calheiros-Lima, A. P., Martins, M. F., Arruda, L. F., Garcez-do-Carmo, L., & Santos, W. C. (2006). Pharmacological effects of *Eugenia punicifolia* (Myrtaceae) in cholinergic nicotinic neurotransmission. *Journal of Ethnopharmacology*, 108, 26-30. <https://doi.org/10.1016/j.jep.2006.04.021>
- Gregson, M., Ollis, W. D., Sutherland, I. O., Gottlieb, O. R., & Magalhães, M. T. (1978). Violastyrrene and isoviolastyrrene, cinnamylphenols from *Dalbergia miscolobium*. *Phytochemistry*, 17, 1375-1377. [https://doi.org/10.1016/S0031-9422\(00\)94592-8](https://doi.org/10.1016/S0031-9422(00)94592-8)
- Gu, J. Q., Graf, T. N., Lee, D., Chai, H. B., Mi, Q., Kardono, L. B. S., ... Oberlies, N. H. (2004). Cytotoxic and antimicrobial constituents of the bark of *Diospyros maritima* collected in two geographical locations in Indonesia. *Journal of Natural Products*, 67, 1156-1161. <https://doi.org/10.1021/np040027m>
- Guarim Neto, G. (1987). *Plantas utilizadas na medicina popular no estado de Mato Grosso*. CNPq, Brasília.

- Guerrero, E. I., Moran-Pinzon, J. A., Ortiz, L. G., Olmedo, D., del Olmo, E., Lopez-Perez, J. L., ... Gupta, M. P. (2010). Vasoactive effects of different fractions from two Panamanian plants used in Amerindian traditional medicine. *Journal of Ethnopharmacology*, 131, 497-501. <https://doi.org/10.1016/j.jep.2010.06.036>
- Guerrero, M. F., Puebla, P., Carrón, R., Martín, M. L., Arteaga, L., & Román, L. S. (2002). Assessment of the antihypertensive and vasodilator effects of ethanolic extracts of some Colombian medicinal plants. *Journal of Ethnopharmacology*, 80, 37-42. [https://doi.org/10.1016/S0378-8741\(01\)00420-2](https://doi.org/10.1016/S0378-8741(01)00420-2)
- Guevara, M. C. G., Giraldo, L. F. O., & Velandia, J. R. (2011). Antiinflammatory activity of extracts and fractions of *Myrcianthes leucoxila*, *Calea prunifolia*, *Curatella americana* y *Physalis peruviana* obtained from tpa-induced ear oedema, carrageenan induced paw oedema and collagen-induced arthritis. *Biosalud*, 10, 9-18.
- Hajdu, Z., & Hohmann, J. (2012). An ethnopharmacological survey of the traditional medicine utilized in the community of Porvenir, Bajo Paragua Indian Reservation, Bolivia. *Journal of Ethnopharmacology*, 139, 838-857. <https://doi.org/10.1016/j.jep.2011.12.029>
- Hamerski, L., Carbonezi, C. A., Cavalheiro, A. J., Bolzani, V. D. S., & Young, M. C. M. (2005). Saponinas triterpénicas de *Tocoyena brasiliensis* Mart. (Rubiaceae). *Química Nova*, 28, 601-604. <https://doi.org/10.1590/S0100-40422005000400009>
- Hasenack, B. S., Sichinelli, J. M., Garcia, A. F., Gomes, K. S., Spiti, S., Costa, C. L., & Oliveira, S. P. L. F. (2008). Antibacterial activity of barbatimão extract on *Staphylococcus aureus* strains isolated from secretions. *Ciências Biológicas e da Saúde*, 10, 13-18.
- Henrique da Silva, G., Barros, P. P., Silva Gonçalves, G. M., & Landi, M. A. (2015). Hepatoprotective effect of *Lycopodium clavatum* 30CH on experimental model of paracetamol-induced liver damage in rats. *Homeopathy*, 104, 29-35. <https://doi.org/10.1016/j.homp.2014.05.005>
- Herzog-Soares, J. D. A., Alves, R. K., Isac, E., Castro, A. M., & Bezerra, J. C. B. (2006). Bioactivity of *Stryphnodendron adstringens*, *S. Polyphyllum*, *Caryocar brasiliense*, plants from Brazilian's savannah on the *Trypanosoma cruzi* in vivo. *Bioscience Journal*, 22, 113-118.
- Herzog-Soares, J. D., Alves, R. K., Isac, E., Bezerra, J. C. B., Gomes, M. H., Santos, S. C., & Ferri, P. H. (2002). Atividade tripanocida in vivo de *Stryphnodendron adstringens* (barbatimão verdadeiro) e *Caryocar brasiliensis* (pequi). *Brazilian Journal of Pharmacognosy*, 12, 1-2. <https://doi.org/10.1590/s0102-695x2002000300001>
- Hirschmann, G. S., de Arias, A. R. (1990). A survey of medicinal plants of Minas Gerais, Brazil. *Journal of Ethnopharmacology*, 29, 159-172. [https://doi.org/10.1016/0378-8741\(90\)90052-U](https://doi.org/10.1016/0378-8741(90)90052-U)
- Hiruma-Lima, C. A., Rodrigues, C. M., Kushima, H., Moraes, T. M., Lolis, S. de F., Feitosa, S. B., ... Brito, A. R. M. S. (2009). The anti-ulcerogenic effects of *Curatella americana* L. *Journal of Ethnopharmacology*, 121, 425-432. <https://doi.org/10.1016/j.jep.2008.10.017>
- Hoffmann-Bohm, K., Lotter, H., Seligmann, O., & Wagner, H. (1992). Antihepatotoxic C-Glycosylflavones from the Leaves of *Allophylus edulis* var. *edulis* and *gracilis*. *Planta Medica*, 58, 544-548. <https://doi.org/10.1055/s-2006-961546>
- Holanda Pinto, S. A., Pinto, L. M. S., Cunha, G. M. A., Chaves, M. H., Santos, F. A., & Rao, V. S. (2008). Anti-inflammatory effect of α, β-Amyrin, a pentacyclic triterpene from *Protium heptaphyllum* in rat model of acute periodontitis. *Inflammopharmacology*, 16, 48-52. <https://doi.org/10.1007/s10787-007-1609-x>
- Honda, N. K., Garcez, F. R., Garcez, W. S., & Conceição, C. A. (1990). Estudo Químico de Plantas de Mato Grosso do Sul I: Triagem fitoquímica. *Revista Científica e Cultural da UFMS*, 1, 37-46.
- Honório-França, A. C., Marins, C. M. F., Boldrini, F., & França, E. L. (2008). Evaluation of hypoglycemic activity and healing of extract from bark of "Quina do Cerrado" (*Strychnos pseudoquina* St. Hill). *Acta Cirurgica Brasileira*, 23, 504-510. <https://doi.org/10.1590/s0102-86502008000600007>
- Hoscheid, J., Outuki, P. M., Kleinubing, S. A., Goes, P. R. N., Lima, M. M. S., Cuman, R. K. N., & Cardoso, M. L. C. (2017). *Pterodon pubescens* oil nanoemulsions: physicochemical and microbiological characterization and in vivo anti-inflammatory efficacy studies. Ver. *Brazilian Journal of Pharmacognosy*, 27, 375-383, <https://doi.org/10.1016/j.bjp.2016.08.012>

- Hoscheid, J., Reinas, A., Cortez, D. A. G., da Costa, W. F., & Cardoso, M. L. C. (2012). Determination by GC-MS-SIM of furanoditerpenes in *Pterodon pubescens* Benth.: development and validation. *Talanta*, 100, 372-376. <https://doi.org/10.1016/j.talanta.2012.07.094>
- Ishino, M. N., de Sibio, P. R., & Rossi, M. N. (2012). Efeito de borda e fenologia em *Erythroxylum tortuosum* Mart. (Erythroxylaceae), uma planta típica do Cerrado brasileiro. *Brazilian Journal of Biology*, 72, 587-594. <https://doi.org/10.1590/S1519-69842012000300023>
- Itokawa, H., Totsuka, N., Morita, H., Takeya, K., Iitaka, Y., Schenkel, E. P., & Motidome, M. (1990). New antitumor principles, casearins A-F, for *Casearia sylvestris* Sw. (Flacourtiaceae). *Chemical and Pharmaceutical Bulletin*, 38, 3384-3388. <https://doi.org/10.1248/cpb.38.3384>
- Júnior, A. W. R., & Júnior, F. J. S. (2009). Estrutura populacional de *Roupala montana* aubl. em um trecho de cerrado sensu stricto no sul de minas gerais, Brasil. *Botânica*, 301-314.
- Júnior, J., Coutinho, H., Boris, T., Cristo, J., Pereira, N., Figueiredo, F., ... Guedes, M. (2016). Chemical characterization and cytoprotective effect of the hydroethanol extract from *Annona coriacea* Mart. (Araticum). *Pharmacognosy Research*, 8, 253-257. <https://doi.org/10.4103/0974-8490.188882>
- Justino, A. B., Pereira, M. N., Vilela, D. D., Peixoto, L. G., Martins, M. M., Teixeira, R. R., ... Espindola, F. S. (2016). Peel of araticum fruit (*Annona crassiflora* Mart.) as a source of antioxidant compounds with alpha-amylase, alpha-glucosidase and glycation inhibitory activities. *Bioorganic Chemistry*, 69, 167-182. <https://doi.org/10.1016/j.bioorg.2016.11.001>
- Kalegari, M., Cerutti, M. L., Macedo-Júnior, S. J., Bobinski, F., Miguel, M. D., Eparvier, V., ... Miguel, O.G. (2014b). Chemical composition and antinociceptive effect of aqueous extract from *Rourea induta* Planch. leaves in acute and chronic pain models. *Journal of Ethnopharmacology*, 153, 3, 801-809. <https://doi.org/10.1016/j.jep.2014.03.045>
- Kalegari, M., Gemin, C. A. B., Araújo-Silva, G., Brito, N. J. N. de, López, J. A., Oliveira Tozetto, S. de, ... Miguel, O. G. (2014a). Chemical composition, antioxidant activity and hepatoprotective potential of *Rourea induta* Planch. (Connaraceae) against CCl<sub>4</sub>-induced liver injury in female rats. *Nutrition*, 30, 713-718. <https://doi.org/10.1016/j.nut.2013.11.004>
- Kalegari, M., Miguel, M. D., Dias, J. F. G., Lordello, A. L. L., Lima, C. P., Miyazaki, C. M. S., ... Miguel, O. G. (2011). Phytochemical constituents and preliminary toxicity evaluation of leaves from *Rourea induta* Planch. (Connaraceae). *Brazilian Journal of Pharmaceutical Sciences*, 47, 635-642. <https://doi.org/10.1590/S1984-82502011000300023>
- Kalegari, M., Miguel, M., Philippsen, A. F., Dias, J., Zanin, S., Lima, C., & Miguel, O. (2012). Antibacterial, allelopathic and antioxidant activity of extracts and compounds from *Rourea induta* planch. (Connaraceae). *Journal of Applied Pharmaceutical Science*, 2, 061-066. <https://doi.org/10.7324/JAPS.2012.2913>
- Kassuya, C. A., Cremoneze, A., Barros, L. F., Simas, A. S., Lapa F., R., Silva, R., ... Zampronio, A. R. (2009). Antipyretic and anti-inflammatory properties of the ethanolic extract, dichloromethane fraction and costunolide from *Magnolia ovata* (Magnoliaceae). *Journal of Ethnopharmacology*, 124, 369-376. <https://doi.org/10.1016/j.jep.2009.06.003>
- Kinghorn, A. D. (2001). Pharmacognosy in the 21st century. *Journal of Pharmacy and Pharmacology*, 53, 135-148. <https://doi.org/10.1211/0022357011775334>
- Kirtikar, K. R., & Basu, B. D. (1993). *Indian Medicinal Plants* (Vol. III). Lalit Mohan Basu, Allahabad, India.
- Kite, G. C., Green, P. W. C., Veitch, N. C., Groves, M. C., Gasson, P. E., & Simmonds, M. S. J. (2010). Dalnigrin, a neoflavonoid marker for the identification of Brazilian rosewood (*Dalbergia nigra*) in CITES enforcement. *Phytochemistry*, 71, 1122-1131. <https://doi.org/10.1016/j.phytochem.2010.04.011>
- Körbes, V. C. (1995). *Plantas Medicinais* (55th ed.). Grafit Grafica e Editora, Francisco Beltrão.
- Kushima, H., Nishijima, C. M., Rodrigues, C. M., Rinaldo, D., Sassá, M. F., Bauab, T. M., ... Hiruma-Lima, C. A. (2009). *Davilla elliptica* and *Davilla nitida*: Gastroprotective, anti-inflammatory immunomodulatory and anti-*Helicobacter pylori* action. *Journal of Ethnopharmacology*, 123, 430-438. <https://doi.org/10.1016/j.jep.2009.03.031>
- Kuster, V. C., & Vale, F. H. A. (2016). Leaf histochemistry analysis of four medicinal species from Cerrado. *Brazilian Journal of Pharmacognosy*, 26, 673-678. <https://doi.org/10.1016/j.bjp.2016.05.015>

- Lage, P. S., de Andrade, P. H. R., Lopes, A. D. S., Chávez Fumagalli, M. A., Valadares, D. G., Duarte, M. C., ... Coelho, E. A. F. (2013). *Strychnos pseudoquina* and its purified compounds present an effective *in vitro* antileishmanial activity. *Evidence-based Complementary Alternative Medicine*, 2013. <https://doi.org/10.1155/2013/304354>
- Laureano, L. C. (2001). *Morfoanatomia, Perfil fitoquímico e aspectos etnobotânicos das espécies medicinais do cerrado: Palicourea coriacea (Cham.) Schum. e Rudgea viburnoides (Cham.) Benth. (Rubiaceae)* (Master's thesis, Federal University of Goiás, Goiânia).
- Leite, L. H. I., Tintino, S. R., Figueiredo, F. G., Oliveira, C. D. de M., de Oliveira, L., Siebra, A. L. A., ... Kerntopf, M. R. (2014a). Composição química e estudo da atividade antibacteriana de *Bowdichia virgilioides* Kunth (Sucupira)-Fabaceae-Papilonoidae. *Boletim Latinoamericano y del Caribe Plantas Medicinales y Aromaticas*, 13, 477-487.
- Leite, P. E., Almeida, K. B., Lagrota-Candido, J., Trindade, P., da Silva, R. F., Ribeiro, M. G., ... Quirico-Santos, T. (2010). Anti-inflammatory activity of *Eugenia punicifolia* extract on muscular lesion of mdx dystrophic mice. *Journal of Cellular Biochemistry*, 111, 1652-1660. <https://doi.org/10.1002/jcb.22906>
- Leite, P. E., Lima-Araujo, K. G., Franca, G. R., Lagrota-Candido, J., Santos, W. C., & Quirico-Santos, T. (2014b). Implant of polymer containing pentacyclic triterpenes from *Eugenia punicifolia* inhibits inflammation and activates skeletal muscle remodeling. *Archivum Immunologiae et Therapiae Experimentalis (Warsz)*, 62, 483-491. <https://doi.org/10.1007/s00005-014-0291-0>
- Lescano, C. H., de Oliveira, I. P., Zaminelli, T., Baldivia, D. da S., da Silva, L. R., Napolitano, M., ... Sanjinez-Argandoña, E. J. (2016). *Campomanesia adamantium* peel extract in antidiarrheal activity: The ability of inhibition of heat-stable enterotoxin by polyphenols. *PLoS One*, 11, e0165208. <https://doi.org/10.1371/journal.pone.0165208>
- Lima e Silva, M. C. B., Bogo, D., Alexandrino, C. A. F., Perdomo, R. T., Figueiredo, P. D. O., Do Prado, P. R., ... Macedo, M. L. R. (2018). Antiproliferative activity of extracts of *Campomanesia adamantium* (Cambess.) O. Berg and isolated compound dimethylchalcone against B16-F10 murine melanoma. *Journal of Medicinal Food*, 21, 1024-1034. <https://doi.org/10.1089/jmf.2018.0001>
- Lima, A., Silva, A. M. O., Trindade, R. A., Torres, R. P., & Mancini-Filho, J. (2007). Composição química e compostos bioativos presentes na polpa e na amêndoia do pequi (*Caryocar brasiliense* Camb.). *Revista Brasileira de Fruticultura*, 29, 695-698. <https://doi.org/10.1590/S0100-29452007000300052>
- Lima, J., Martins, D., & Junior, P. (1998). Experimental evaluation of stem bark of *Stryphnodendron adstringens* (Mart.) Coville for antiinflammatory activity. *Phytotherapy Research*, 12, 218-220. [https://doi.org/10.1002/\(SICI\)1099-1573\(199805\)12:3<218::AID-PTR220>3.0.CO;2-4](https://doi.org/10.1002/(SICI)1099-1573(199805)12:3<218::AID-PTR220>3.0.CO;2-4)
- Lima, R. C. L., Kongstad, K., Kato, L., José das Silva, M., Franzky, H., & Staerk, D. (2018). High-Resolution PTP1B Inhibition Profiling Combined with HPLC-HRMS-SPE-NMR for Identification of PTP1B Inhibitors from *Miconia albicans*. *Molecules*, 23, 1755. <https://doi.org/10.3390/molecules23071755>
- Lima, T. B., Franco, O. L., Silva, O. N., Silva, L. P., Rocha, T. L., Grossi-De-Sá, M. F., & Leonardecz, E. (2011). *In vivo* effects of cagaita (*Eugenia dysenterica*, DC.) leaf extracts on diarrhea treatment. *Evidence-based Complementary Alternative Medicine*, 2011. <https://doi.org/10.1155/2011/309390>
- Lima, T. B., Silva, O. N., Oliveira, J. T. A., Vasconcelos, I. M., Scalabrin, F. B., Rocha, T. L., ... Franco, O. L. (2010). Identification of *E. dysenterica* laxative peptide: A novel strategy in the treatment of chronic constipation and irritable bowel syndrome. *Peptides*, 31, 1426-1433. <https://doi.org/10.1016/j.peptides.2010.05.003>
- Lima, V. B. (2005). *Estudo fitoquímico de Himatanthus obovatus (Muell. Arg.) Woodson (Apocynaceae): isolamento, elucidação estrutural e atividade biológica* (Doctoral thesis, Campinas State University).
- Lima-Júnior, R. C. P., Oliveira, F. A., Gurgel, L. A., Cavalcante, I. J. M., Santos, K. A., Campos, D. A., ... Santos, F. A. (2006). Attenuation of visceral nociception by  $\alpha$ - and  $\beta$ - amyrin, a triterpenoid mixture isolated from the resin of *Protium heptaphyllum*, in mice. *Planta Medica*, 72, 34-39. <https://doi.org/10.1055/s-2005-873150>
- Lira W., M., dos Santos, F. V., Sannomiya, M., Rodrigues, C. M., Vilegas, W., & Varanda, E. A. (2008). Modulatory effect of *Byrsonima basiloba* extracts on the mutagenicity of certain direct and indirect-acting mutagens in *Salmonella typhimurium* assays. *Journal of Medicinal Food*, 11, 111-119. <https://doi.org/10.1089/jmf.2007.553>

- Llorente, B. E., Alasia, M. A., & Larraburu, E. E. (2016). Biofertilization with *Azospirillum brasilense* improves *in vitro* culture of *Handroanthus ochraceus*, a forestry, ornamental and medicinal plant. *New Biotechnology*, 33, 32-40. <https://doi.org/10.1016/j.nbt.2015.07.006>
- Longhini, R., Lonni, A. A. S. G., Sereia, A. L., Krzyzaniak, L. M., Lopes, G. C., & de Mello, J. C. P. (2017). *Trichilia catigua*: Therapeutic and cosmetic values. *Brazilian Journal of Pharmacognosy*, 27, 254-271. <https://doi.org/10.1016/j.bjp.2016.10.005>
- Lopes Galeno, D. M., Carvalho, R. P., Boleti, A. P., Lima, A. S., Oliveira de Almeida, P. D., Pacheco, C. C., ... Lima, E. S. (2014). Extract from *Eugenia punicifolia* is an antioxidant and inhibits enzymes related to metabolic syndrome. *Applied Biochemistry and Biotechnology*, 172, 311-324. <https://doi.org/10.1007/s12010-013-0520-8>
- Lopes, F. C. M., Placeres, M. C. P., Jordão Junior, C. M., Higuchi, C. T., Rinaldo, D., Vilegas, W., ... Carlos, I. Z. (2007). Immunological and microbiological activity of *Davilla elliptica* St. Hill. (Dilleniaceae) against *Mycobacterium tuberculosis*. *Memórias do Instituto Oswaldo Cruz*, 102, 769-772. <https://doi.org/10.1590/S0074-02762007005000086>
- Lopes, R. H. O., Macorini, L. F. B., Antunes, K. Á., Espindola, P. P. de T., Alfredo, T. M., da Rocha, P. D. S., ... de Picoli Souza, K. (2016). Antioxidant and hypolipidemic activity of the hydroethanolic extract of *Curatella americana* L. leaves. *Oxidative Medicine and Cellular Longevity*, 2016, 9681425. <https://doi.org/10.1155/2016/9681425>
- Lorenzi, H. (1992). *Árvores brasileiras: Manual de identificação e cultivo de plantas arbóreas nativas do Brasil*. Instituto Plantarum, Nova Odessa.
- Lorenzi, H. (2000). *Árvores Brasileiras: Manual de Identificação e cultivo de plantas arbóreas nativas do Brasil*. Instituto Plantarum, Nova Odessa.
- Lorenzi, H. (2002). *Árvores brasileiras: Manual de identificação e cultivo de plantas arbóreas do Brasil* (2nd ed.). Instituto Plantarum, Nova Odessa.
- Lorenzi, H., & Matos, F. J. A. (2002). *Plantas medicinais no Brasil: Nativas e exóticas*. Instituto Plantarum, Nova Odessa.
- Lorenzi, H., Lacerda, M., & Bacheret, L. (2008). *Frutas brasileiras e exóticas cultivadas*. Instituto Plantarum, Nova Odessa.
- Luiz-Ferreira, A., Almeida, A. C. A., Cola, M., Barbastefano, V., Almeida, A. B. A. de, Batista, L. M., ... Brito, A. R. M. S. (2010). Mechanisms of the gastric antiulcerogenic activity of *Anacardium humile* St. Hil on ethanol-induced acute gastric mucosal injury in rats. *Molecules*, 15, 7153-7166. <https://doi.org/10.3390/molecules15107153>
- Luiz-Ferreira, A., Cola-Miranda, M., Barbastefano, V., Hiruma-Lima, C. A., Vilegas, W., & Souza Brito, A. R. M. (2008). Should *Anacardium humile* St. Hil. be used as an antiulcer agent? A scientific approach to the traditional knowledge. *Fitoterapia*, 79, 207-209. <https://doi.org/10.1016/j.fitote.2007.11.006>
- Luzia, D. M. M., & Jorge, N. (2013). Bioactive substance contents and antioxidant capacity of the lipid fraction of *Annona crassiflora* Mart. seeds. *Industrial Crops and Products*, 42, 231-235. <https://doi.org/10.1016/j.indcrop.2012.05.027>
- Macari, P. A. T., Emerenciano, V. de P., & Ferreira, M. G. S. (1990). Identificação dos triterpenos de *Miconia albicans* triana através de análise por microcomputador. *Química Nova*, 13, 260-2.
- Macedo, M. L., de Matos, D. G., Machado, O. L., Marangoni, S., & Novello, J. C. (2000). Trypsin inhibitor from *Dimorphandra mollis* seeds: purification and properties. *Phytochemistry*, 54, 553-558. [https://doi.org/10.1016/S0031-9422\(00\)00155-2](https://doi.org/10.1016/S0031-9422(00)00155-2)
- Macedo, M., & Ferreira, A. R. (2004). Plantas hipoglicemiantes utilizadas por comunidades tradicionais na Bacia do Alto Paraguai e Vale do Guaporé, Mato Grosso-Brasil. *Brazilian Journal of Pharmacognosy*, 14, 45-47. <https://doi.org/10.1590/s0102-695x2004000300017>
- Machado, A. R. T., Lage, G. A., Medeiros, F. da S., de Souza Filho, J. D., & Pimenta, L. P. S. (2013). Quantitative analysis of trigonelline in some *Annona* species by proton NMR spectroscopy. *Natural Products and Bioprospecting*, 3, 158-160. <https://doi.org/10.1007/s13659-013-0051-6>
- Magalhães, K. do N., Guarniz, W. A. S., Sá, K. M., Freire, A. B., Monteiro, M. P., Nojosa, R. T., ... Bandeira, M. A. M. (2019). Medicinal plants of the Caatinga, northeastern Brazil: Ethnopharmacopeia (1980-1990) of the

- late professor Francisco José de Abreu Matos. *Journal of Ethnopharmacology*, 237, 314-353. <https://doi.org/10.1016/j.jep.2019.03.032>
- Maia, R. M., Rocha Barbosa, P., Guaré Cruz, F., Franca Roque, N., & Fascio, M. (2000). Triterpenos da resina de *Protium heptaphyllum* March (Bourseraceae): Caracterização em misturas binárias. *Quimica Nova*, 23, 623-626. <https://doi.org/10.1590/s0100-4042200000500010>
- Maier, F. S. C. (2016). *Avaliação do efeito de extratos vegetais de plantas do cerrado e pantanal sobre o crescimento de Trypanosoma cruzi* (Master's thesis, Federal University of Mato Grosso do Sul).
- Maistro, E. L., Carvalho, J. C. T., & Mantovani, M. S. (2004). Evaluation of the genotoxic potential of the *Casearia sylvestris* extract on HTC and V79 cells by the comet assay. *Toxicology In vitro*, 18, 337-342. <https://doi.org/10.1016/j.tiv.2003.10.002>
- Mallavadhani, U. V., Panda, A. K., & Rao, Y. R. (1998). Pharmacology and chemotaxonomy of *Diospyros*. *Phytochemistry*. [https://doi.org/10.1016/S0031-9422\(97\)01020-0](https://doi.org/10.1016/S0031-9422(97)01020-0)
- Mandal, S. K., Biswas, R., Bhattacharyya, S. S., Paul, S., Dutta, S., Pathak, S., & Khuda-Bukhsh, A. R. (2010). Lycopodine from *Lycopodium clavatum* extract inhibits proliferation of HeLa cells through induction of apoptosis via caspase-3 activation. *European Journal of Pharmacology*, 626, 115-122. <https://doi.org/10.1016/j.ejphar.2009.09.033>
- Marques, D. D., Sartori, R. A., Lemos, T. L. G., Machado, L. L., de Souza, J. S. N., & Monte, F. J. Q. (2010). Composição química do óleo essencial de duas subespécies do *Protium heptaphyllum*. *Acta Amazonica*, 40, 227-230. <https://doi.org/10.1590/S0044-59672010000100029>
- Marques, F. G., Oliveira Neto, J. R., Cunha, L. C., Paula, J. R., & Bara, M. T. F. (2015). Identification of terpenes and phytosterols in *Dipteryx alata* (baru) oil seeds obtained through pressing. *Brazilian Journal of Pharmacognosy*, 25, 522-525. <https://doi.org/10.1016/j.bjp.2015.07.019>
- Martinotto, C., Paiva, R., Santos, B. R., Soares, F. P., Nogueira, R. C., & Silva, Á. A. N. (2007). Efeito da escarificação e luminosidade na germinação *in vitro* de sementes de cagaiteira (*Eugenia dysenterica* DC.). *Ciência e Agrotecnologia*, 31, 1668-1671. <https://doi.org/10.1590/s1413-70542007000600010>
- Martins, A. O. B. P. B., Siebra, A. L. A., Oliveira, C. D. M., Leite, G. O., Coutinho, H. D. M., Athayde, M. L., ... Menezes, I. R. A. (2017). Antimicrobial, gastroprotective and healing effect of the hydroalcoholic extract of *Astronium fraxinifolium*. *Letter in Drug Design and Discovery*, 15. <https://doi.org/10.2174/1570180814666170213160114>
- Martins, D., Osshiro, E., Roque, N. F., Marks, V., & Gottlieb, H. E. (1998). A sesquiterpene dimer from *Xylopia aromaticata*. *Phytochemistry*, 48, 677-680. [https://doi.org/10.1016/S0031-9422\(97\)01048-0](https://doi.org/10.1016/S0031-9422(97)01048-0)
- Martins, J. V. C., Otobone, F. J., Ramos, V., Obici, S., Trombelli, M. A., Cortez, D. A. G., & Audi, E. (2004). Activity of hydroethanolic extract from *Kielmeyera coriacea* stems on central nervous system in rats. *Acta Scientiarum Health Sciences*, 26, 365-368. <https://doi.org/10.4025/actascihealthsci.v26i2.1591>
- Martins, J. V. C., Otobone, F. J., Sela, V. R., Obici, S., Trombelli, M. A., Cortez, D. A. G., & Audi, E. A. (2006). Behavioral effects of *Kielmeyera coriacea* extract in rats. *Indian Journal of Pharmacology*, 38, 427-428. <https://doi.org/10.4103/0253-7613.28211>
- Matsunaga, K., Sasaki, S., & Ohizumi, Y. (1997). Excitatory and inhibitory effects of Paraguayan medicinal plants *Equisetum giganteum*, *Acanthospermum australe*, *Allophylus edulis* and *Cordia salicifolia* on contraction of rabbit aorta and guinea-pig left atrium. *Nature Medicine*, 51, 478-481.
- Mayworm, M. A. S., & Salatino, A. (1996). Fatty acid composition of 'Cerrado' seed oils. *Journal of the Science of Food and Agriculture*, 72, 226-230. [https://doi.org/10.1002/\(SICI\)1097-0010\(199610\)72:2<226::AID-JSFA649>3.0.CO;2-U](https://doi.org/10.1002/(SICI)1097-0010(199610)72:2<226::AID-JSFA649>3.0.CO;2-U)
- Mazzolin, L. P., Nasser, A. L., Moraes, T. M., Santos, R. C., Nishijima, C. M., Santos, F. V., ... Hiruma-Lima, C. A. (2010). *Qualea parviflora* Mart.: an integrative study to validate the gastroprotective, antidiarrheal, antihemorragic and mutagenic action. *Journal of Ethnopharmacology*, 127, 508-514 <https://doi.org/10.1016/j.jep.2009.10.005>
- Mecina, G. F., Santos, V. H. M., Dokkedal, A. L., Saldanha, L. L., Silva, L. P., & Silva, R. M. G. (2014). Phytotoxicity of extracts and fractions of *Ouratea spectabilis* (Mart. ex Engl.) Engl. (Ochnaceae). *South African Journal of Botany*, 95, 174-180. <https://doi.org/10.1016/j.sajb.2014.10.002>

- Mello, G., Desouza, I., Marangoni, S., Novello, J., Antunes, E., & Macedo, L. (2006). Oedematogenic activity induced by Kunitz-type inhibitors from *Dimorphandra mollis* seeds. *Toxicon*, 47, 150-155. <https://doi.org/10.1016/j.toxicon.2005.10.003>
- Melo, C. M., Morais, T. C., Tomé, A. R., Brito, G. A. C., Chaves, M. H., Rao, V. S., & Santos, F. A. (2011). Anti-inflammatory effect of  $\alpha$ ,  $\beta$ -amyrin, a triterpene from *Protium heptaphyllum*, on cerulein-induced acute pancreatitis in mice. *Inflammation Research*, 60, 673-681. <https://doi.org/10.1007/s00011-011-0321-x>
- Mendes, A. D. R., Martins, E. R., & Figueiredo, L. S. (2013). Estudo do sistema de reprodução da fava-d'anta (*Dimorphandra mollis* Benth.). *Brazilian Journal of Medicinal Plants*, 15, 605-608. <https://doi.org/10.1590/S1516-05722013000400018>
- Mendonça, F. A. C., Silva, K. F. S., Santos, K. K., Ribeiro Júnior, K. A. L., & Sant'Ana, A. E. G. (2005). Activities of some Brazilian plants against larvae of the mosquito *Aedes aegypti*. *Fitoterapia*, 76, 629-636. <https://doi.org/10.1016/j.fitote.2005.06.013>
- Menegati, S. E. L. T., Freitas de Lima, F., Traesel, G. K., Souza, R. I. C., dos Santos, A. C., de Santana Aquino, D. F., ... Oesterreich, S. A. (2016). Acute and subacute toxicity of the aqueous extract of *Alibertia edulis* (Rich.) A. Rich. ex DC. in rats. *Journal of Ethnopharmacology*, 194, 1096-1102. <https://doi.org/10.1016/j.jep.2016.11.003>
- Mesquita, A. A. L., Gottlieb, O. R., & Pinto, M. M. (1987). Xanthonolignoids from *Kielmeyera coriacea*. *Phytochemistry*, 26, 2045-2048. [https://doi.org/10.1016/S0031-9422\(00\)81755-0](https://doi.org/10.1016/S0031-9422(00)81755-0)
- Mesquita, M. L., de Paula, J. E., Pessoa, C., de Moraes, M. O., Costa-Lotufo, L. V., Grougnet, R., ... Espindola, L. S. (2009). Cytotoxic activity of Brazilian Cerrado plants used in traditional medicine against cancer cell lines. *Journal of Ethnopharmacology*, 123, 439-445. <https://doi.org/10.1016/j.jep.2009.03.018>
- Mesquita, M. L., Desrivot, J., Bories, C., Fournet, A., De Paula, J. E., Grellier, P., & Espindola, L. S. (2005). Antileishmanial and trypanocidal activity of Brazilian Cerrado plants. *Memórias do Instituto Oswaldo Cruz*, 100, 783-787. <https://doi.org/10.1590/s0074-02762005000700019>
- Michelin, D. C., Iha, S. M., Rinaldo, D., Sannomiya, M., Santos, L. C., Vilegas, W., & Salgado, H. R. N. (2005). Antimicrobial activity of *Davilla elliptica* St. Hill (Dilleniaceae). *Brazilian Journal of Pharmacognosy*, 15, 209-211. <https://doi.org/10.1590/S0102-695X2005000300008>
- Michelin, D. C., Sannomiya, M., Figueiredo, M. E., Rinaldo, D., Santos, L. C., Souza-Brito, A. R. M., ... Salgado, H. R. N. (2008). Antimicrobial activity of *Byrsonima* species (Malpighiaceae). *Brazilian Journal of Pharmacognosy*, 18, 690-695. <https://doi.org/10.1590/S0102-695X2008000500009>
- Miranda Pedroso, T. F., Bonamigo, T. R., da Silva, J., Vasconcelos, P., Felix, J. M., Cardoso, C. A. L., ... Trichez, V. D. K. (2019). Chemical constituents of *Cochlospermum regium* (Schrank) Pilg. root and its antioxidant, antidiabetic, antiglycation, and anticholinesterase effects in Wistar rats. *Biomedicine and Pharmacotherapy*, 111, 1383-1392. <https://doi.org/10.1016/j.biopha.2019.01.005>
- Miranda, M. A., Kuehn, C. C., Cardoso, J. F., Oliveira, L. G., Magalhaes, L. G., Tirossi, R. F., ... Bastos, J. K. (2013). Immunomodulatory effect of the alkaloidal extract of *Solanum lycocarpum* fruits in mice infected with *Schistosoma mansoni*. *Experimental Parasitology*, 133, 396-402. <https://doi.org/10.1016/j.exppara.2012.12.012>
- Miranda-Vilela, A. L., Pereira, L. C., Goncalves, C. A., & Grisolia, C. K. (2009). Pequi fruit (*Caryocar brasiliense* Camb.) pulp oil reduces exercise-induced inflammatory markers and blood pressure of male and female runners. *Nutrition Research*, 29, 850-858. <https://doi.org/10.1016/j.nutres.2009.10.022>
- Mobin, M., de Lima, S. G., Almeida, L. T. G., Silva Filho, J. C., Rocha, M. S., Oliveira, A. P., ... Costa, J. G. M. (2017). Gas chromatography-triple quadrupole mass spectrometry analysis and vasorelaxant effect of essential oil from *Protium heptaphyllum* (Aubl.) March. *Biomed Research International*, 2017, 1928171. <https://doi.org/10.1155/2017/1928171>
- Monache, F. D., Aldo, P. T., & Marini-Bettolo, G. B. (1969). The occurrence of nor-dihydrotoxiferine in *Strychnos pseudoquina* A. St. Hil. *Tetrahedron Letters*, 2009-2010.
- Montanari, R. M., Barbosa, L. C. A., Demuner, A. J., Silva, C. J., Andrade, N. J., Ismail, F. M. D., & Barbosa, M. C. A. (2012). Exposure to Anacardiaceae volatile oils and their constituents induces lipid peroxidation within food-borne bacteria cells. *Molecules*, 17, 9728-9740. <https://doi.org/10.3390/molecules17089728>

- Monteiro, Á. B., Rodrigues, C. K. S., Nascimento, E. P., Sales, V. S., Delmondes, G. A., Costa, M. H. N., ... Kerntopf, M. R. (2020). Anxiolytic and antidepressant-like effects of *Annona coriacea* (Mart.) and caffeic acid in mice. *Food and Chemical Toxicology*, 136. <https://doi.org/10.1016/j.fct.2019.111049>
- Monteiro, J. M., de Souza, J. S. N., Lins Neto, E. M. F., Scopel, K., & Trindade, E. F. (2014). Does total tannin content explain the use value of spontaneous medicinal plants from the Brazilian semi-arid region? *Brazilian Journal of Pharmacognosy*, 24, 116-123. <https://doi.org/10.1016/j.bjp.2014.02.001>
- Moraes, P. L. R. (2005). Sinopse das Lauráceas nos estados de Goiás e Tocantins, Brasil. *Biota Neotropica*, 5, 253-270. <https://doi.org/10.1590/s1676-06032005000300018>
- Morais Cardoso, L., Silva Oliveira, D., Freitas Bedetti, S., Duarte Martino, H. S., & Pinheiro-Sant'ana, H. M. (2013). Araticum (*Annona crassiflora* Mart.) from the Brazilian Cerrado: Chemical composition and bioactive compounds. Fruits. *Food Research International*, 68, 121-134. <https://doi.org/10.1051/fruits/2013058>
- Moreira, L. Q., Vilela, F. C., Orlandi, L., Dias, D. F., Santos, A. L. A., da Silva, M. A., ... Giusti-Paiva, A. (2011). Anti-inflammatory effect of extract and fractions from the leaves of *Byrsonima intermedia* A. Juss. in rats. *Journal of Ethnopharmacology*, 138, 610-615. <https://doi.org/10.1016/j.jep.2011.10.006>
- Moreira, R. V., Costa, M. P., Castro, V. S., Paes, C. E., Mutz, Y. S., Frasao, B. S., ... Conte-Junior, C. A. (2019). Short communication: Antimicrobial activity of pequi (*Caryocar brasiliense*) waste extract on goat Minas Frescal cheese presenting sodium reduction. *Jornal of Dairy Science*, 102, 2966-2972. <https://doi.org/10.3168/jds.2018-15268>
- Mori, L. S., Boller, S., Kassuya, C. A., Stefanello, M. E., & Zampronio, A. R. (2011). Analgesic effects of the ethanolic extract from *Magnolia ovata* (Magnoliaceae) trunk bark and of N-acetylxylopine, a semi-synthetic analogue of xylopine. *Phytomedicine*, 18, 143-147. <https://doi.org/10.1016/j.phymed.2010.06.001>
- Mota, G. S., Sartori, C. J., Miranda, I., Quilhó, T., Mori, F. A., & Pereira, H. (2017). Bark anatomy, chemical composition and ethanol-water extract composition of *Anadenanthera peregrina* and *Anadenanthera colubrina*. *PLoS One*, 12, e0189263. <https://doi.org/10.1371/journal.pone.0189263>
- Motta, E. V., Lemos, M., Costa, J. C., Bandero-Filho, V. C., Sasse, A., Sheridan, H., & Bastos, J. K. (2018). Galloylquinic acid derivatives from *Copaifera langsdorffii* leaves display gastroprotective activity. *Chemico-Biological Interactions*, 261, 145-155. <https://doi.org/10.1016/j.cbi.2016.11.028>
- Moura-Costa, G. F., Nocchi, S. R., Ceole, L. F., Mello, J. C. P. D., Nakamura, C. V., Dias Filho, B. P., ... Ueda-Nakamura, T. (2012). Antimicrobial activity of plants used as medicinals on an indigenous reserve in Rio das Cobras, Paraná, Brazil. *Journal of Ethnopharmacology*, 143, 631-638. <https://doi.org/10.1016/j.jep.2012.07.016>
- Munari, C. C., de Oliveira, P. F., Lima, I. M. S., Martins, S. P. L., Costa, J. C., Bastos, J. K., & Tavares, D. C. (2012). Evaluation of cytotoxic, genotoxic and antigenotoxic potential of *Solanum lycocarpum* fruits glicoalkaloid extract in V79 cells. *Food Chemical and Toxicology*, 50, 3696-3701. <https://doi.org/10.1016/j.fct.2012.07.028>
- Mussini, P., Orsini, F., Pelizzoni, F., & Ferrari, G. (1973). Constituents of *Annona coriacea*. The structure of a new diterpenoid. *Journal of the Chemical Society: Perkin Transactions*, 1, 2551-2557. <https://doi.org/10.1039/p19730002551>
- Nadkarni, K. M., & Nadkarni, A. K. (1954). *K.M. Nadkarni's Indian materia medica with ayurvedic, unani-tibbi, siddha, allopathic, homeopathic, naturopathic & home remedies: appendices & indexes* (2nd ed.). Popular Prakashan, India.
- Nakahata, A. M. (2001). *Estudos das propriedades de peptideos sintéticos contendo sequência RGD baseado no inibidor isolado das sementes de Bauhinia rufa* (Master's Thesis. Federal University of São Paulo).
- Naressi, M. A., Manholer, D. D., Ames, F. Q., Bersani-Amado, C. A., Formagio, A. S. N., Pereira, Z. V., ... Sarragiotto, M. H. (2015). Chemical constituents, anti-inflammatory, and free-radical scavenging activities of *Guettarda viburnoides* Cham. & schltdl. (Rubiaceae). *Química Nova*, 38, 932-936. <https://doi.org/10.5935/0100-4042.20150093>
- Nascimento, C., Gomes, M., Lião, L., Oliveira, C., Kato, L., Silva, C., & Tanaka, C. (2007). Alkaloids from *Palicourea coriacea* (Cham.) K. Schum. *Cheminform*, 38. <https://doi.org/10.1002/chin.200713196>

- Nasser, A., Carli, C., Rodrigues, C., Maia, D., Carlos, I., Eberlin, M., ... Vilegas, W. (2008). Identification of ellagic acid derivatives in methanolic extracts from *Qualea* species. *Zeitschrift fur Naturforschung. C. Journal of Biosciences*, 63, 794-800. <https://doi.org/10.1515/znc-2008-11-1203>
- Nazato, V. S., Rubem-Mauro, L., Vieira, N. A., Rocha-Junior, D. dos S., Silva, M. G., Lopes, P. S., ... Oshima-Franco, Y. (2010). *In vitro* antiophidian properties of *Dipteryx alata* Vogel bark extracts. *Molecules (Basel, Switzerland)*, 15, 5956-5970. <https://doi.org/10.3390/molecules15095956>
- Neiva, V. A., Ribeiro, M. N. S., Nascimento, F. R. F., Cartágenes, M. S. S., Coutinho-Moraes, D. F., & do Amaral, F. M. M. (2014). Plant species used in giardiasis treatment: Ethnopharmacology and *in vitro* evaluation of anti-*Giardia* activity. *Brazilian Journal of Pharmacognosy*, 24, 215-224. <https://doi.org/10.1016/j.bjp.2014.04.004>
- Nery, P. S., Nogueira, F. A., Martins, E. R., & Duarte, E. R. (2010). Effects of *Anacardium humile* leaf extracts on the development of gastrointestinal nematode larvae of sheep. *Veterinary Parasitology*, 171, 361-364. <https://doi.org/10.1016/j.vetpar.2010.03.043>
- Nogueira, M., Furtado, R., & Bastos, J. (2015). Flavonoids and methoxy-galloylquinic acid derivatives from the leaf extract of *Copaifera langsdorffii* Desf. *Journal of Agriculture and Food Chemistry*, 63, 6939-6945. <https://doi.org/10.1021/acs.jafc.5b01588>
- Novaes, P., Ferreira, M. J. P., & Santos, D. Y. A. C. dos (2018). Flavonols from *Annona coriacea* Mart. (Annonaceae). *Biochemical Systematics and Ecology*, 78, 77-80. <https://doi.org/10.1016/j.bse.2018.04.006>
- Novaes, P., Torres, P. B., & dos Santos, D. Y. A. C. (2016). Biological activities of Annonaceae species extracts from Cerrado. *Revista Brasileira de Botanica*, 39, 131-137. <https://doi.org/10.1007/s40415-015-0225-z>
- Novaes, P., Torres, P. B., Cornu, T. A., Lopes, J. de C., Ferreira, M. J. P., & Santos, D. Y. A. C. (2019). Comparing antioxidant activities of flavonols from *Annona coriacea* by four approaches. *South African Journal of Botany*, 123, 253-258. <https://doi.org/10.1016/j.sajb.2019.03.011>
- Nucci, C., Mazzardo-Martins, L., Stramosk, J., Brethanha, L. C., Pizzolatti, M. G., Santos, A. R., & Martins, D. F. (2012). Oleaginous extract from the fruits *Pterodon pubescens* Benth induces antinociception in animal models of acute and chronic pain. *Journal of Ethnopharmacology*, 143, 170-178. <https://doi.org/10.1016/j.jep.2012.06.020>
- Nucci-Martins, C., Martins, D. F., Nascimento, L. F., Venzke, D., Oliveira, A. S., Frederico, M. J., ... Santos, A. R. (2015). Ameliorative potential of standardized fruit extract of *Pterodon pubescens* Benth on neuropathic pain in mice: Evidence for the mechanisms of action. *Journal of Ethnopharmacology*, 175, 273-286. <https://doi.org/10.1016/j.jep.2015.09.005>
- Nunes, A. R., Rodrigues, A. L. M., de Queiróz, D. B., Vieira, I. G. P., Neto, J. F. C., Junior, J. T. C., ... Coutinho, H. D. M. (2018). Photoprotective potential of medicinal plants from Cerrado biome (Brazil) in relation to phenolic content and antioxidant activity. *Journal of Photochemistry and Photobiology B: Biology*, 189, 119-123. <https://doi.org/10.1016/j.jphotobiol.2018.10.013>
- Nunes, G. P., Silva, M. F., Resende, U. M., & Siqueira, J. M. (2003). Plantas medicinais comercializadas por raizeiros no Centro de Campo Grande, Mato Grosso do Sul. *Brazilian Journal of Pharmacognosy*, 13, 83-92. <https://doi.org/10.1590/S0102-695X2003000200004>
- Oberlies, N. H., Burgess, J. P., Navarro, H. A., Pinos, R. E., Fairchild, C. R., Peterson, R. W., ... Wall, M. E. (2002). Novel bioactive clerodane diterpenoids from the leaves and twigs of *Casearia sylvestris*. *Journal of Natural Products*, 65, 95-99. <https://doi.org/10.1021/np010459m>
- Oliveira, F. A., Chaves, M. H., Almeida, F. R. C., Lima, R. C. P., Silva, R. M., Maia, J. L., ... Rao, V. S. (2005). Protective effect of  $\alpha$ - and  $\beta$ -amyrin, a triterpene mixture from *Protium heptaphyllum* (Aubl.) March. trunk wood resin, against acetaminophen-induced liver injury in mice. *Journal of Ethnopharmacology*, 98, 103-108. <https://doi.org/10.1016/j.jep.2005.01.036>
- Oliveira, F. A., Lima-Junior, R. C. P., Cordeiro, W. M., Vieira-Júnior, G. M., Chaves, M. H., Almeida, F. R. C., ... Rao, V. S. N. (2004b). Pentacyclic triterpenoids,  $\alpha$ ,  $\beta$ -amyrins, suppress the scratching behavior in a mouse model of pruritus. *Pharmacology Biochemistry and Behavior*, 78, 719-725. <https://doi.org/10.1016/j.pbb.2004.05.013>
- Oliveira, F. A., Vieira, G. M., Chaves, M. H., Almeida, F. R. C., Santos, K. A., Martins, F. S., ... Rao, V. S. N. (2004a). Gastroprotective effect of the mixture of  $\alpha$ - and  $\beta$ -amyrin from *Protium heptaphyllum*: Role of

- capsaicin-sensitive primary afferent neurons. *Planta Medica*, 70, 780-782. <https://doi.org/10.1055/s-2004-827212>
- Oliveira, F., Saito, M. L., & Furuka, C. M. (1994). Phannacognostic characterization of the drug and fluid extract of perobinha do campo-*Acosmum subelegans* (Mohlemb). *Lecta-USF Yakovl Bragança Paulista*, 12, 17-34.
- Oliveira, H. C., dos Santos, M. P., Grigulo, R., Lima, L. L., Martins, D. T., Lima, J. C., ... Kawashita, N. H. (2008). Antidiabetic activity of *Vatairea macrocarpa* extract in rats. *Journal of Ethnopharmacology*, 115, 515-519. <https://doi.org/10.1016/j.jep.2007.10.025>
- Oliveira, L. M., Oliveira, T. S., Costa, R. M., Martins, J. L. R., Freitas, C. S., Gil, E. S., ... Ghedini, P. C. (2018). *Caryocar brasiliense* induces vasorelaxation through endothelial Ca<sup>2+</sup>/calmodulin and PI3K/Akt/eNOS-dependent signaling pathways in rats. *Brazilian Journal of Pharmacognosy*, 28, 678-685. <https://doi.org/10.1016/j.bjp.2018.07.007>
- Oliveira, V. B., Ferreira, A. V. M., Oliveira, M. C., Teixeira, M. M., & Brandão, M. G. L. (2014). Effects of *Xylopia aromaticata* (Lam.) Mart. fruit on metabolic and inflammatory dysfunction induced by high refined carbohydrate-containing-diet in mice. *Food Research International*, 62, 541-550. <https://doi.org/10.1016/j.foodres.2014.03.066>
- Orhan, I. E., Özçelik, B., Aslan Erdem, S., Kartal, M., Karaoglu, T., Sener, B., Terzioglu, S., & Choudhary, M. (2007b). Antioxidant and antimicrobial actions of the clubmoss *Lycopodium clavatum* L. *Phytochemistry Reviews*, 6, 189-196. <https://doi.org/10.1007/s11101-006-9053-x>
- Orhan, I., Kupeli, E., Sener, B., & Yesilada, E. (2007a). Appraisal of anti-inflammatory potential of the clubmoss, *Lycopodium clavatum* L. *Journal of Ethnopharmacology*, 109, 146-150. <https://doi.org/10.1016/j.jep.2006.07.018>
- Orhan, I., Terzioglu, S., & Sener, B. (2003). Alpha-onocerin: An acetylcholinesterase inhibitor from *Lycopodium clavatum*. *Planta Medica*, 69, 265-267. <https://doi.org/10.1055/s-2003-38489>
- Orlandi, L., Vilela, F. C., Santa-Cecília, F. V., Dias, D. F., Alves-da-Silva, G., & Giusti-Paiva, A. (2011). Anti-inflammatory and antinociceptive effects of the stem bark of *Byrsonima intermedia* A. Juss. *Journal of Ethnopharmacology*, 137, 1469-1476. <https://doi.org/10.1016/j.jep.2011.08.032>
- Ortíz-Martínez, D. M., Rivas-Morales, C., De La Garza-Ramos, M. A., Verde-Star, M. J., Nuñez-Gonzalez, M. A., & Leos-Rivas, C. (2016). *Miconia* sp. increases mRNA levels of PPAR gamma and inhibits alpha amylase and alpha glucosidase. *Evidence-Based Complementary Alternative Medicine*, 2016. <https://doi.org/10.1155/2016/5123519>
- Paiva, L. A., Gurgel, L. A., Campos, A. R., Silveira, E. R., & Rao, V. S. (2004). Attenuation of ischemia/reperfusion-induced intestinal injury by oleo-resin from *Copaifera langsdorffii* in rats. *Life Science*, 75, 1979-1987. <https://doi.org/10.1016/j.lfs.2004.05.011>
- Palazzo de Mello, J. C., Petereit, F., & Nahrstedt, A. (1999). A dimeric proanthocyanidin from *Stryphnodendron adstringens*. *Phytochemistry*, 51, 1105-1107 [https://doi.org/10.1016/S0031-9422\(98\)00715-8](https://doi.org/10.1016/S0031-9422(98)00715-8)
- Palazzo de Mello, J. P., Petereit, F., & Nahrstedt, A. (1996a). Flavan-3-ols and prodelphinidins from *Stryphnodendron adstringens*. *Phytochemistry*, 41, 807-813. [https://doi.org/10.1016/0031-9422\(95\)00686-9](https://doi.org/10.1016/0031-9422(95)00686-9)
- Palazzo de Mello, J., Petereit, F., & Nahrstedt, A. (1996b). Prorobinetinidins from *Stryphnodendron adstringens*. *Phytochemistry*, 42, 857-862 [https://doi.org/10.1016/0031-9422\(95\)00953-1](https://doi.org/10.1016/0031-9422(95)00953-1)
- Pascoal, A. C. R. F., Ehrenfried, C. A., Eberline, M. N., Stefanello, M. E. A., & Salvador, M. J. (2011). Free radical scavenging activity, determination of phenolic compounds and HPLC-DAD/ESI-MS profile of *Campomanesia adamantium* leaves. *Natural Products Communications*, 6, 969-72.
- Pascoal, A. C. R. F., Ehrenfried, C. A., Lopez, B. G. C., De Araujo, T. M., Pascoal, V. D., Ávil, B., ... Salvador, M. J. (2014). Antiproliferative activity and induction of apoptosis in PC-3 cells by the chalcone cardamonin from *Campomanesia adamantium* (Myrtaceae) in a bioactivity-guided study. *Molecules*, 19, 1843-1855. <https://doi.org/10.3390/molecules19021843>
- Pascual, R., Colmena, I., de Los Rios, C., Rosa, J. M., Correa-Leite, P. E., Lima-Araújo, K. G., ... Gandía, L. (2011). Augmentation of catecholamine release elicited by an *Eugenia punicifolia* extract in chromaffin cells. *Brazilian Journal of Pharmacognosy*, 22, 1-12. <https://doi.org/10.1590/S0102-695X2011005000191>

- Passos, X. S., Santos, S. C., Ferri, P. H., Fernandes, O. F. L., Paula, T. F., Garcia, A. C. F., & Silva, M. R. R. (2002). Atividade antifúngica de *Caryocar brasiliensis* (Caryocaraceae) sobre *Cryptococcus neoformans*. *Revista da Sociedade Brasileira de Medicina Tropical*, 35, 623-627 <https://doi.org/10.1590/S0037-86822002000600013>
- Pasta, P. C., Durigan, G., Moraes, I. C. F., Ribeiro, L. F., Haminiuk, C. W. I., & Branco, I. G. (2019). Physicochemical properties, antioxidant potential and mineral content of *Miconia albicans* (Sw.) Triana: a fruit with high aluminium content. *Revista Brasileira de Botânica*, 42, 209-216. <https://doi.org/10.1007/s40415-019-00532-3>
- Patel, D. K., Kumar, R., Sairam, K., & Hemalatha, S. (2012). Pharmacologically tested aldose reductase inhibitors isolated from plant sources-A concise report. *Chinese Journal of Natural Medicines*, 10, 388-400. [https://doi.org/10.1016/S1875-5364\(12\)60078-8](https://doi.org/10.1016/S1875-5364(12)60078-8)
- Pathak, S., Banerjee, A., Paul, S., & Khuda-Bukhsh, A. R. (2009). Protective potentials of a plant extract (*Lycopodium clavatum*) on mice chronically fed hepato-carcinogens. *Indian Journal of Experimental Biology*, 47, 602-607.
- Paulo, M. Q., Lima, E. de O., Maia, R. F., & Xavier Filho, L. (1986). Atividade antimicrobiana do óleo dos frutos de *Ouratea parviflora* Baill (Ochnaceae). *LILACS*, 19-21.
- Pavan, F. R., Leite, C. Q. F., Coelho, R. G., Coutinho, I. D., Honda, N. K., Cardoso, C. A. L., ... Sato, D. N. (2009). Evaluation of anti-*Mycobacterium tuberculosis* activity of *Campomanesia adamantium* (Myrtaceae). *Química Nova*, 32, 1222-1226. <https://doi.org/10.1590/S0100-40422009000500026>
- Pereira, A. G., Menezes, A. C. S., Santos, M. L. dos, Vieira, T. S., Santos, R. G., & Lacerda, E. P. S. (2015a). Avaliação da atividade citotóxica dos extratos das folhas de *Erythroxylum Campestre* (Erythroxylaceae) frente às células sarcoma 180. *Revista Processos Químicos*, 9, 41-48. <https://doi.org/10.19142/rpq.v9i17.236>
- Pereira, E. M. R., Gomes, R. T., Freire, N. R., Aguiar, E. G., Brandão, M. D. G. L., & Santos, V. R. (2011). *In vitro* antimicrobial activity of Brazilian medicinal plant extracts against pathogenic microorganisms of interest to dentistry. *Planta Medica*, 77, 401-404. <https://doi.org/10.1055/s-0030-1250354>
- Pereira, L. O. M., Vilegas, W., Tangerina, M. M. P., Arunachalam, K., Balogun, S. O., Orlandi-Mattos, P. E., ... Martins, D. T. O. (2018). *Lafoensia pacari* A. St.-Hil.: Wound healing activity and mechanism of action of standardized hydroethanolic leaves extract. *Journal of Ethnopharmacology*, 219, 337-350. <https://doi.org/10.1016/j.jep.2018.02.038>
- Pereira, M. D. M., Jácome, R. L. R. P., Alcântara, A. F. D. C., Alves, R. B., & Raslan, D. S. (2007). Alcalóides indólicos isolados de espécies do gênero *Aspidosperma* (Apocynaceae). *Química Nova*, 30, 970-983. <https://doi.org/10.1590/S0100-40422007000400037>
- Pereira, M. N., Justino, A. B., Martins, M. M., Peixoto, L. G., Vilela, D. D., Santos, P. S., ... Espindola, F. S. (2017). Stephalagine, an alkaloid with pancreatic lipase inhibitory activity isolated from the fruit peel of *Annona crassiflora* Mart. *Industrial Crops and Products*, 97, 324-329. <https://doi.org/10.1016/j.indcrop.2016.12.038>
- Pereira, V., Borel, C., & Silva, R. (2015b). Phytochemical screening, total phenolic content and antioxidant activity of *Byrsonima* species. *Natural Products Research*, 29, 1-5. <https://doi.org/10.1080/14786419.2014.1002407>
- Perim, M. C., Borges, J. C., Da Silva, E. M. L., Araújo, T. A. S., Da Silva, A. C. O., Rezende, G. S., ... Pranchevicius, M. C. S. (2018). *In vitro* antibacterial activities of the bark and leaf extracts of *Anacardium humile* (St.) Hil against multidrug resistant strains. *New Biotechnology*, 44, S116-S117. <https://doi.org/10.1016/j.nbt.2018.05.1030>
- Periotto, F., Perez, S. C. J. G. A., & Lima, M. I. S. (2004). Efeito alelopático de *Andira humilis* Mart. ex Benth na germinação e no crescimento de *Lactuca sativa* L. e *Raphanus sativus* L. *Acta Botanica Brasilica*, 18, 425-430. <https://doi.org/10.1590/S0102-33062004000300003>
- Pernet, P. (1972). Phytochimie des Burseracees. *Lloydia*, 35, 280-288.
- Petacci, F., Freitas, S. S., Brunetti, I. L., & Khalil, N. M. (2010). Inhibition of peroxidase activity and scavenging of reactive oxygen species by astilbin isolated from *Dimorphandra mollis* (Fabaceae, Caesalpinoioideae). *Biological Research*, 43, 63-74. <https://doi.org/10.4067/S0716-97602010000100008>

- Peter, T., Arsenak, M., Ballen, D., Abad, M., Fernandez, A., Milano, B., ... Michelangeli, F. (2008). Evaluation of Venezuelan medicinal plant extracts for antitumor and antiprotease activities. *Pharmaceutical Biology*, 44, 349-362. <https://doi.org/10.1080/13880200600748119>
- Pieroni, L. G., de Rezende, F. M., Ximenes, V. F., & Dokkedal, A. L. (2011). Antioxidant activity and total phenols from the methanolic extract of *Miconia albicans* (Sw.) Triana leaves. *Molecules (Basel, Switzerland)*, 16, 9439-9450. <https://doi.org/10.3390/molecules16119439>
- Pierrí, E. G., Castro, R. C., Vizioli, E. O., Ferreira, C. M. R., Cavalheiro, A. J., Tininis, A. G., ... Santos, A. G. (2017). Anti-inflammatory action of ethanolic extract and clerodane diterpenes from *Casearia sylvestris*. *Brazilian Journal of Pharmacognosy*, 27, 495-501. <https://doi.org/10.1016/j.bjbp.2016.12.008>
- Pimenta, L. P. S., Pinto, G. B., Takahashi, J. A., e Silva, L. G. F., & Boaventura, M. A. D. (2003). Biological screening of Annonaceous Brazilian medicinal plants using *Artemia salina* (Brine Shrimp Test). *Phytomedicine*, 10, 209-212. <https://doi.org/10.1078/094471103321659960>
- Pino-Benítez, N. (2006). Botánica y screening fitoquímico de doce plantas usadas em medicina tradicional en el Departamento del Chocó, Colombia. *Latin American Journal of Natural Research*, 2, 33-44.
- Pinto Coelho, M. G., Marques, P. R., Gayer, C. R., Vaz, L. C., Neto, J. F., & Sabino, K. C. (2001). Subacute toxicity evaluation of a hydroalcoholic extract of *Pterodon pubescens* seeds in mice with collagen-induced arthritis. *Journal of Ethnopharmacology*, 77, 159-164. [https://doi.org/10.1016/S0378-8741\(01\)00288-4](https://doi.org/10.1016/S0378-8741(01)00288-4)
- Pinto, A. A. C., & Maduro, C. B. (2003). Produtos e subprodutos da medicina popular comercializados na cidade de Boa Vista, Roraima. *Acta Amazonica*, 33, 281-290. <https://doi.org/10.1590/1809-4392200332290>
- Pinto, J. E. B. P., & Bertolucci, S. K. V. (2002). *Textos acadêmicos: Cultivo e processamento de plantas medicinais*. FAEPE/UFLA, Lavras.
- Pires, J. G., Zabini, S. S., Braga, A. S., Fabris, R. C., de Andrade, F. B., de Oliveira, R. C., & Magalhães, A. C. (2018). Hydroalcoholic extracts of *Myracrodruon urundeuva* All. and *Qualea grandiflora* Mart. leaves on *Streptococcus mutans* biofilm and tooth demineralization. *Archives of Oral Biology*, 91, 17-22. <https://doi.org/10.1016/j.archoralbio.2018.04.005>
- Piva, M. G. (2002). *O Caminho das plantas medicinais: Estudo etnobotânico*. Editora Mondrian, Rio de Janeiro.
- Porto, K. R. D. A., Roel, A. R., Da Silva, M. M., Coelho, R. M., Scheleider, E. J. D., & Jeller, A. H. (2008). Atividade larvicida do óleo de *Anacardium humile* Saint Hill sobre *Aedes aegypti* (Linnaeus, 1762) (Diptera, Culicidae). *Revista da Sociedade Brasileira de Medicina Tropical*, 41, 586-589. <https://doi.org/10.1590/S0037-86822008000600008>
- Pott, A., & Pott, V. J. (1994). *Plantas do Pantanal; Centro de Pesquisa Agropecuária do Pantanal*. CPAP, Serviço de Produção de Informação, Brasília.
- Pott, V. J., & Pott, A. (1986). *Plantas colonizadoras da estrada transpantaneira (da fazenda Leque ao retiro Chatelodo), na Nhecolândia, Pantanal* (pp. 1-9). Embrapa Pantanal-Comunicado Técnico (INFOTECA-E).
- Prado, L. C. S., Silva, D. B., Oliveira-Silva, G. L., Hiraki, K. R. N., Canabrava, H. A. N., & Bispo-da-Silva, L. B. (2014). The Gastroprotective effects of *Eugenia dysenterica* (Myrtaceae) leaf extract: the possible role of condensed tannins. *Biological and Pharmaceutical Bulletin*, 37, 722-730. <https://doi.org/10.1248/bpb.b13-00514>
- Puebla, P., Oshima-Franco, Y., Franco, L. M., Santos, M. G., Silva, R. V., Rubem-Mauro, L., & Feliciano, A. S. (2010). Chemical constituents of the bark of *Dipteryx alata* vogel, an active species against *Bothrops jararacussu* venom. *Molecules (Basel, Switzerland)*, 15, 8193-8204. <https://doi.org/10.3390/molecules15118193>
- Quintão, W. de S. C., Alencar-Silva, T., Borin, M. de F., Rezende, K. R., Albernaz, L. C., Cunha-Filho, M., ... Gelfuso, G. M. (2019). Microemulsions incorporating *Brosimum gaudichaudii* extracts as a topical treatment for vitiligo: *In vitro* stimulation of melanocyte migration and pigmentation. *Journal of Molecular Liquid*, 294, 111685. <https://doi.org/10.1016/j.molliq.2019.111685>
- Ramos, D. D., Cardoso, C. A. L., & Yamamoto, N. T. (2007). Avaliação do potencial citotóxico e atividade antioxidante em *Campomanesia adamantium* (Cambess.) O. Berg (Myrtaceae). *Revista Brasileira de Biociências*, 5, 774-776.
- Reis, F. P., Senna Bonfa, I. M., Cavalcante, R. B., Okoba, D., de Souza Vasconcelos, S. B., Candeloro, L., ... Toffoli-Kadri, M. C. (2014). *Tabebuia aurea* decreases inflammatory, myotoxic and hemorrhagic activities

- induced by the venom of *Bothrops neuwiedi*. *Journal of Ethnopharmacology*, 158, 352-357. <https://doi.org/10.1016/j.jep.2014.10.045>
- Resende, F. A., Campos, D. L., da Silva, V. C., de Grandis, R. A., Souza, L. P., Leonardo Junior, C. S., ... Varanda, E. A. (2015). Mutagenicity and chemopreventive activities of *Astronium* species assessed by Ames test. *Regulatory Toxicology and Pharmacology*, 72, 506-513. <https://doi.org/10.1016/j.yrtph.2015.05.014>
- Resende, R. O. (2012). *Estudo da espécie Curatella americana (lixeira) utilizada como agente bioindicador em região aurifera do distrito de Cangas em Poconé/MT* (Master's Thesis, Federal University of Mato Grosso).
- Ribeiro, R. V., Bieski, I. G. C., Balogun, S. O., & Martins, D. T. O. (2017). Ethnobotanical study of medicinal plants used by Ribeirinhos in the North Araguaia microregion, Mato Grosso, Brazil. *Journal of Ethnopharmacology*, 205, 69-102. <https://doi.org/10.1016/j.jep.2017.04.023>
- Ribeiro, T. G., Chavez-Fumagalli, M. A., Valadares, D. G., Franca, J. R., Lage, P. S., Duarte, M. C., ... Castilho, R. O. (2014). Antileishmanial activity and cytotoxicity of Brazilian plants. *Experimental Parasitology*, 143, 60-68. <https://doi.org/10.1016/j.exppara.2014.05.004>
- Ricardo, L. M., Paula-Souza, J., Andrade, A., & Brandão, M. G. L. (2017). Plants from the Brazilian Traditional Medicine: species from the books of the Polish physician Piotr Czerniewicz (Pedro Luiz Napoleão Chernoviz, 1812-1881). *Brazilian Journal of Pharmacognosy*, 27, 388-400. <https://doi.org/10.1016/j.bjp.2017.01.002>
- Rocha, L. B., Melo, A. M., Paula, S. L. A., Nobre, S. A. M., & Abreu, I. N. (2015). Gallic acid as the major antioxidant in pequi (*Caryocar brasiliense* Camb.) fruit peel. *Brazilian Journal of Medicinal Plants*, 17, 592-598. <https://doi.org/10.1590/1983-084X/14062>
- Rocha, W. S., Lopes, R. M., Silva, D. B., Vieira, R. F., Silva, J. P., & Agostini-Costa, T. S. (2011). Compostos fenólicos totais e taninos condensados em frutas nativas do cerrado. *Revista Brasileira de Fruticultura*, 33, 1215-1221. <https://doi.org/10.1590/S0100-29452011000400021>
- Rodrigues, A. B., Bicudo, B. P., Wiebusch, L., Borges, R. R., de Almeida, A. A., & Oliveira, K. M. P. (2014). Bioprospecting of *Ocotea minarum* (Laurales: Lauraceae) by ethanolic extract in control of strains of gender *Candida*. *BMC Proceedings*, 8, 1-2. <https://doi.org/10.1186/1753-6561-8-s4-p21>
- Rodrigues, A. B., de Almeida-Apolonio, A. A., Alfredo, T. M., Dantas, F. G. da S., Campos, J. F., Cardoso, C. A. L., ... de Oliveira, K. M. P. (2019). Chemical composition, antimicrobial activity, and antioxidant activity of *Ocotea minarum* (Nees & Mart.) Mez. *Oxidative Medicine Cellular Longevity*, 2019. <https://doi.org/10.1155/2019/5736919>
- Rodrigues, A. M. G., Guimarães, D. O., Konno, T. U. P., Tinoco, L. W., Barth, T., Aguiar, F. A., ... Muzitano, M. F. (2017). Phytochemical study of *Tapirira guianensis* leaves guided by vasodilatory and antioxidant activities. *Molecules* (Basel, Switzerland), 22. <https://doi.org/10.3390/molecules22020304>
- Rodrigues, A. M. S., De Paula, J. E., Roblot, F., Fournet, A., & Espíndola, L. S. (2005). Larvicidal activity of *Cybistax antisyphilitica* against *Aedes aegypti* larvae. *Fitoterapia*, 76, 755-757. <https://doi.org/10.1016/j.fitote.2005.08.015>
- Rodrigues, A. M., de Paula, J. E., Degallier, N., Molez, J. E., & Espíndola, L. S. (2006). Larvicidal activity of some Cerrado plant extracts against *Aedes aegypti*. *Journal of the American Mosquito Control Association*, 22, 314-317. [https://doi.org/10.2987/8756-971X\(2006\)22\[314:LAOSCP\]2.0.CO;2](https://doi.org/10.2987/8756-971X(2006)22[314:LAOSCP]2.0.CO;2)
- Rodrigues, G. A., Souza, W. C., Godinho, M. G. C., Ferreira, H. D., & Vila Verde, G. M. (2015). Determinação de parâmetros farmacognósticos para as folhas de *Erythroxylum suberosum* A. St.-Hilaire (Erythroxylaceae) coletadas no município de Goiânia, GO. *Brazilian Journal of Medicinal Plants*, 17, 1169-1176. <https://doi.org/10.1590/1983-084x/14114>
- Rodrigues, V. E. G., & Carvalho, D. A. (2001). Levantamento etnobotânico de plantas medicinais no domínio do cerrado na região do Alto Rio Grande-Minas Gerais. *Ciência e Agrotecnologia*, 25, 102-123.
- Roesler, R. (2011). Effect of extracts from araticum (*Annona crassiflora*) on CCl<sub>4</sub>-induced liver damage in rats. *Ciência e Tecnologia de Alimentos*, 31, 93-100. <https://doi.org/10.1590/S0101-20612011000100012>
- Roesler, R., Catharino, R. R., Malta, L. G., Eberlin, M. N., & Pastore, G. (2007). Antioxidant activity of *Annona crassiflora*: Characterization of major components by electrospray ionization mass spectrometry. *Food Chemistry*, 104, 1048-1054. <https://doi.org/10.1016/j.foodchem.2007.01.017>

- Roesler, R., Catharino, R. R., Malta, L. G., Eberlin, M. N., & Pastore, G. (2008). Antioxidant activity of *Caryocar brasiliense* (pequi) and characterization of components by electrospray ionization mass spectrometry. *Food Chemistry*, 110, 711-717. <https://doi.org/10.1016/j.foodchem.2008.02.048>
- Roesler, R., Malta, L. G., Carrasco, L. C., & Pastore, G. (2006). Evaluation of the antioxidant properties of the Brazilian Cerrado Fruit *Annona crassiflora* (Araticum). *Journal of Food Science*, 71, 102-107. <https://doi.org/10.1111/j.1365-2621.2006.tb08882.x>
- Rollinger, J. M., Ewelt, J., Seger, C., Sturm, S., Ellmerer, E. P., & Stuppner, H. (2005). New insights into the acetylcholinesterase inhibitory activity of *Lycopodium clavatum*. *Planta Medica*, 71, 1040-1043. <https://doi.org/10.1055/s-2005-873130>
- Rosario, M. M., Noleto, G. R., Bento, J. F., Reicher, F., Oliveira, M. B., & Petkowicz, C. L. (2008). Effect of storage xyloglucans on peritoneal macrophages. *Phytochemistry*, 69, 464-472. <https://doi.org/10.1016/j.phytochem.2007.08.011>
- Roumy, V., Fabre, N., Portet, B., Bourdy, G., Acebey, L., Vigor, C., Valentin, A., & Moulis, C. (2009). Four anti-protozoal and anti-bacterial compounds from *Tapirira guianensis*. *Phytochemistry*, 70, 305-311. <https://doi.org/10.1016/j.phytochem.2008.10.003>
- Salatino, A., Ferreira, M. J. P., Udlutsch, R. G., Palacios, C. E., & Salatino, M. L. F. (2020). Fingerprinting of Cerrado species based on cork lipophilic constituents. *Biochemical Systematics and Ecology*, 88, 103989. <https://doi.org/10.1016/j.bse.2019.103989>
- Saldanha, L. L., Vilegas, W., & Dokkedal, A. L. (2013). Characterization of flavonoids and phenolic acids in *Myrcia bella* Cambess. using FIA-ESI-IT-MS(n) and HPLC-PAD-ESI-IT-MS combined with NMR. *Molecules* (Basel, Switzerland), 18, 8402-8416. <https://doi.org/10.3390/molecules18078402>
- Sales, D. S., Carmona, F., Azevedo, B. C., Taleb-Contini, S. H., Bartolomeu, A. C., Honorato, F. B., ... Pereira, A. M. (2014). *Eugenia puniceifolia* (Kunth) DC. as an adjuvant treatment for type-2 diabetes mellitus: a non-controlled, pilot study. *Phytotherapy Research*, 28, 1816-1821. <https://doi.org/10.1002/ptr.5206>
- Sangalli, A., Vieira, M. C., & Heredia, N. A. Z. (2002). Levantamento e caracterização de plantas nativas com propriedades medicinais em fragmentos florestais e de cerrado de dourados-MS, numa visão etnobotânica, *Acta Horticulturae*, 173-184. <https://doi.org/10.17660/actahortic.2002.569.28>
- Sannomiya, M., Cardoso, C. R. P., Figueiredo, M. E., Rodrigues, C. M., dos Santos, L. C., dos Santos, F. V., ... Varanda, E. A. (2007). Mutagenic evaluation and chemical investigation of *Byrsonima intermedia* A. Juss. leaf extracts. *Journal of Ethnopharmacology*, 112, 319-326. <https://doi.org/10.1016/j.jep.2007.03.014>
- Sano, S. M., Ribeiro, J. F., & Brito, M. A. (2004). Baru: biologia e uso. In: Documentos, 116. EMBRAPA, Planaltina, Brasil.
- Santos Filho, P. R., Ferreira, L. A., & Gouvêa, C. M. C. P. (2011). Protective action against chemical-induced genotoxicity and free radical scavenging activities of *Stryphnodendron adstringens* ("barbatimão") leaf extracts. *Brazilian Journal of Pharmacognosy*, 21, 1000-1005. <https://doi.org/10.1590/S0102-695X2011005000176>
- Santos, A. G., Perez, C. C., Tininis, A. G., Bolzani, V. S., & Cavalheiro, A. J. (2007). Clerodane diterpenes from leaves of *Casearia sylvestris* Swartz. *Quimica Nova*, 30, 1100-1103. <https://doi.org/10.1590/S0100-40422007000500009>
- Santos, F. A., Frota, J. T., Arruda, B. R., De Melo, T. S., Da Silva, A. A. D. C. A., Brito, G. A. D. C., ... Rao, V. S. (2012b). Antihyperglycemic and hypolipidemic effects of  $\alpha$ ,  $\beta$ -amyrin, a triterpenoid mixture from *Protium heptaphyllum* in mice. *Lipids in Health and Diseases*, 11, 98. <https://doi.org/10.1186/1476-511X-11-98>
- Santos, F. V., Colus, I. M. S., Silva, M. A., Vilegas, W., & Varanda, E. A. (2006). Assessment of DNA damage by extracts and fractions of *Strychnos pseudoquina*, a Brazilian medicinal plant with antiulcerogenic activity. *Food and Chemical Toxicology*, 44, 1585-1589. <https://doi.org/10.1016/j.fct.2006.03.012>
- Santos, F. V., Nasser, A. L. M., Biso, F. I., Moreira, L. M., Santos, V. J. S. V., Vilegas, W., & Varanda, E. A. (2011). Genotoxicity of polar and apolar extracts obtained from *Qualea multiflora* and *Qualea grandiflora*. *Journal of Ethnopharmacology*, 138, 105-110. <https://doi.org/10.1016/j.jep.2011.08.062>
- Santos, J. A., Arruda, A., Silva, M. A., Cardoso, C. A. L., Vieira, M. D. C., Kassuya, C. A. L., & Arena, A. C. (2012a). Anti-inflammatory effects and acute toxicity of hydroethanolic extract of *Jacaranda decurrens*

- roots in adult male rats. *Journal of Ethnopharmacology*, 144, 802-805. <https://doi.org/10.1016/j.jep.2012.10.024>
- Santos, L. P., Boaventura, M. A. D., Sun, N. J., Cassady, J. M., & de Oliveira, A. B. (1996). Araticulin, a bis-tetrahydrofuran polyketide from *Annona itcrassiflora* seeds. *Phytochemistry*, 42, 705-707. [https://doi.org/10.1016/0031-9422\(95\)00844-6](https://doi.org/10.1016/0031-9422(95)00844-6)
- Santos, R. C., Kushima, H., Rodrigues, C. M., Sannomiya, M., Rocha, L. R., Bauab, T. M., ... Hiruma-Lima, C. A. (2012c). *Byrsonima intermedia* A. Juss.: Gastric and duodenal anti-ulcer, antimicrobial and antidiarrheal effects in experimental rodent models. *Journal of Ethnopharmacology*, 140, 203-212. <https://doi.org/10.1016/j.jep.2011.12.008>
- Santos, R. F. E. P., Conserva, L. M., Bastos, M. L. A., & Campesatto, E. A. (2015). Avaliação do potencial biológico da *Tabebuia aurea* (Silva Manso) como fonte de moléculas bioativas para atividade antimicrobiana, antiedematógena e antirradicalar. *Brazilian Journal of Medicinal Plants*, 17, 1159-1168. [https://doi.org/10.1590/1983-084x/14\\_168](https://doi.org/10.1590/1983-084x/14_168)
- Santos, R., Bonamin, F., Pélico, L. L., Rodrigues, V. P., Zanatta, A. C., Rodrigues, C. M., ... Hiruma-Lima, C. A. (2019). *Byrsonima intermedia* A. Juss partitions promote gastroprotection against peptic ulcers and improve healing through antioxidant and anti-inflammatory activities. *Biomedicine and Pharmacotherapy*, 111, 1112-1123. <https://doi.org/10.1016/j.bioph.2018.12.132>
- Santos, S. C., Costa, W. F., Ribeiro, J. P., Guimaraes, D. O., Ferri, P. H., Ferreira, H. D., & Seraphin, J. C. (2002). Tannin composition of barbatimão species. *Fitoterapia*, 73, 292-299. [https://doi.org/10.1016/s0367-326x\(02\)00081-3](https://doi.org/10.1016/s0367-326x(02)00081-3)
- Sanz-Biset, J., Campos-de-la-Cruz, J., Epiquén-Rivera, M. A., & Cañigueral, S. (2009). A first survey on the medicinal plants of the Chazuta valley (Peruvian Amazon). *Journal of Ethnopharmacology*, 122, 333-362. <https://doi.org/10.1016/j.jep.2008.12.009>
- Sarandy, M. M., Miranda, L. L., Altoé, L. S., Novaes, R. D., Zanuncio, V. V., Leite, J. P. V., & Gonçalves, R. V. (2018). *Strychnos pseudoquina* modulates the morphological reorganization of the scar tissue of second intention cutaneous wounds in rats. *PLoS One*, 13. <https://doi.org/10.1371/journal.pone.0195786>
- Sartori, C. J., Mori, F. A., Valle, M. L. A., Mendes, L. M., & Protásio, T. P. (2014). Rendimento gravimétrico em taninos condensados nas cascas de *Anadenanthera peregrina* em diferentes classes diamétricas. *CERNE*, 20, 239-244. <https://doi.org/10.1590/01047760.201420021512>
- Schneider, N., & Fernandes de Moura, N. (2006). The volatile oil composition and antimicrobial activity of *Casearia sylvestris*. *Revista Brasileira de Farmagnosia*, 87, 112-114.
- Schoenfelder, T., Pich, C. T., Geremias, R., Avila, S., Daminelli, E. N., Pedrosa, R. C., & Bettoli, J. (2008). Antihyperlipidemic effect of *Casearia sylvestris* methanolic extract. *Fitoterapia*, 79, 465-467. <https://doi.org/10.1016/j.fitote.2008.03.008>
- Schwarz, A., Pinto, E., Haraguchi, M., de Oliveira, C. A., Bernardi, M. M., & de Souza Spinosa, H. (2007). Phytochemical study of *Solanum lycocarpum* (St. Hil) unripe fruit and its effects on rat gestation. *Phytotherapy Research*, 21, 1025-1028. <https://doi.org/10.1002/ptr.2200>
- Sela, V. R., Hattanda, I., Albrecht, C. M., De Almeida, C. B., Obici, S., Cortez, D. A., & Audi, E. A. (2010). Effect of xanthone from *Kielmeyera coriacea* stems on serotonergic neurons of the median raphe nucleus. *Phytomedicine*, 17, 274-278 <https://doi.org/10.1016/j.phymed.2009.07.002>
- Senedese, J., Alves, J., Lima, I., Andrade, E., Andrade, R., Bastos, J., & Tavares, D. (2013). Chemopreventive effect of *Copaifera langsdorffii* leaves hydroalcoholic extract on 1,2-dimethylhydrazine-induced DNA damage and preneoplastic lesions in rat colon. *BMC Complementary Alternative Medicine*, 13, 3. <https://doi.org/10.1186/1472-6882-13-3>
- Serpeloni, J. M., Barcelos, G. R. M., Mori, M. P., Yanagui, K., Vilegas, W., Varanda, E. A., & Cólus, I. M. S. (2011). Cytotoxic and mutagenic evaluation of extracts from plant species of the *Miconia* genus and their influence on doxorubicin-induced mutagenicity: An *in vitro* analysis. *Experimental and Toxicologic Pathology*, 63, 499-504. <https://doi.org/10.1016/j.etp.2010.03.011>
- Serpeloni, J. M., Specian, A. F., Ribeiro, D. L., Tuttis, K., Vilegas, W., Martinez-Lopez, W., ... Varanda, E. A. (2015). Antimutagenicity and induction of antioxidant defense by flavonoid rich extract of *Myrcia bella*

- Cambess. in normal and tumor gastric cells. *Journal of Ethnopharmacology*, 176, 345-355. <https://doi.org/10.1016/j.jep.2015.11.003>
- Sertié, J. A., Carvalho, J. C., & Panizza, S. (2000). Antiulcer activity of the crude extract from the leaves of *Sasearia sylvestris*. *Pharmaceutical Biology*, 38, 112-119. [https://doi.org/10.1076/1388-0209\(200004\)38:21-1FT112](https://doi.org/10.1076/1388-0209(200004)38:21-1FT112)
- Siani, A. C., Ramos, M. F. S., Menezes-De-Lima, O., Ribeiro-Dos-Santos, R., Fernandez-Ferreira, E., Soares, R. O. A., ... Henriques, M. G. M. O. (1999). Evaluation of anti-inflammatory-related activity of essential oils from the leaves and resin of species of *Protium*. *Journal of Ethnopharmacology*, 66, 57-69. [https://doi.org/10.1016/S0378-8741\(98\)00148-2](https://doi.org/10.1016/S0378-8741(98)00148-2)
- Silva, A., Santos, M., Franca, S., Silva, V., Silva, L., Figueiredo, U., ... Kawashita, N. (2015). Acute and subchronic antihyperglycemic activities of *Bowdichia virgilioides* roots in non-diabetic and diabetic rats. *Journal of Intercultural Ethnopharmacology*, 4, 57. <https://doi.org/10.5455/jice.20141028022407>
- Silva, D. R., Oliveira, T. A., Amaral, L. V., Fachin-Espinhar M. T., Ronchi-Teles, B., & Nunez, C. V. (2013). *Avaliação da atividade inseticida e antibacteriana do extrato metanolico dos galhos de Psychotria poeppigiana Mull. Arg. (Rubiaceae)*. 53º Congresso Brasileiro de Química. Rio de Janeiro/RJ.
- Silva, E. L. M., Roblot, F., & Cavé, A. (1997). Coriacyclodienin and coriacycloenin: two new annonaceous acetogenins from *Annona Coriacea*. *Heterocycles*, 45, 915.
- Silva, E. L. M., Roblot, F., Hocquemiller, R., Serani, L., & Laprévote, O. (1998). Structure elucidation of annoheptocins, two new heptahydroxylated C37 acetogenins by high-energy collision-induced dissociation tandem mass spectrometry. *Rapid Communications in Mass Spectrometry*, 12, 1936-1944. [https://doi.org/10.1002/\(SICI\)1097-0231\(19981215\)12:23<1936::AID-RCM412>3.0.CO;2-8](https://doi.org/10.1002/(SICI)1097-0231(19981215)12:23<1936::AID-RCM412>3.0.CO;2-8)
- Silva, E. L. M., Roblot, F., Mahuteau, J., & Cavé, A. (1996). Coriadienin, the first annonaceous acetogenin with two double bonds isolated from *Annona coriacea*. *Journal of Natural Products*, 59, 528-530. <https://doi.org/10.1021/np960079e>
- Silva, E. M., Valencia, A., Grossi-de-Sá, M. F., Rocha, T. L., Freire, É., de Paula, J. E., & Espindola, L. S. (2009). Inhibitory action of Cerrado plants against mammalian and insect  $\alpha$ -amylases. *Pesticide Biochemistry and Physiology*, 95, 141-146. <https://doi.org/10.1016/j.pestbp.2009.08.003>
- Silva, G. C., Braga, F. C., Lima, M. P., Pesquero, J. L., Lemos, V. S., & Cortes, S. F. (2011a). *Hancornia speciosa* Gomes induces hypotensive effect through inhibition of ACE and increase on NO. *Journal of Ethnopharmacology*, 137, 709-713. <https://doi.org/10.1016/j.jep.2011.06.031>
- Silva, J. J., Cerdeira, C. D., Chavasco, J. M., Cintra, A. B., Silva, C. B., Mendonça, A. N., ... Chavasco, J. K. (2014). *In vitro* screening antibacterial activity of *Bidens pilosa* Linne and *Annona crassiflora* Mart. against Oxacillin Resistant *Staphylococcus aureus* (ORSA) from the aerial environment at the dental clinic. *Revista do Instituto de Medicina Tropical*, 56, 333-340. <https://doi.org/10.1590/S0036-46652014000400011>
- Silva, J. P., Rodarte, R. S., Calheiros, A. S., Souza, C. Z., Amendoeira, F. C., Martins, M. A., ... Barreto, E. (2010b). Antinociceptive activity of aqueous extract of *Bowdichia virgilioides* in mice. *Journal of Medicinal Food*, 13, 348-351. <https://doi.org/10.1089/jmf.2009.0099>
- Silva, M. A. B., Melo, L. V. L., Ribeiro, R. V., Souza, J. P. M., Lima, J. C. S., Martins, D. T. O., & Silva, R. M. (2010a). Levantamento etnobotânico de plantas utilizadas como anti-hiperlipidêmicas e anorexígenas pela população de Nova Xavantina-MT, Brasil. *Brazilian Journal of Pharmacognosy*, 20, 549-562. <https://doi.org/10.1590/S0102-695X2010000400014>
- Silva, M. A., Rafacho, B. P. M., Hiruma-Lima, C. A., Rocha, L. R. M. da, Santos, L. C., Sannomiya, M., ... Vilegas, W. (2005). Evaluation of *Strychnos pseudoquina* ST. Hil. leaves extract on gastrointestinal activity in mice. *Chemical and Pharmaceutical Bulletin*, 53, 881-885. <https://doi.org/10.1248/cpb.53.881>
- Silva, S. M. M., Costa, C. R. R., Gelfuso, G. M., Guerra, E. N. S., Nóbrega, Y. K. M., Gomes, S. M., ... Magalhães, P. O. (2018). Wound healing effect of essential oil extracted from *Eugenia dysenterica* DC (Myrtaceae) leaves. *Molecules*, 24. <https://doi.org/10.3390/molecules24010002>
- Silva, S. M., Ferreira-Nunes, R., Amore, C. R., Martins, D. H. N., Pic-Taylor, A., Fonseca-Bazzo, Y. M., ... Magalhães, P. O. (2020). Emulsion incorporating *Eugenia dysenterica* aqueous extract entrapped in chitosan microparticles as a novel topical treatment of cutaneous infections. *Journal of Drug Delivery Science and Technology*, 55, 101372. <https://doi.org/10.1016/j.jddst.2019.101372>

- Silva, V. C., Napolitano, A., Eletto, D., Rodrigues, C. M., Pizza, C., & Vilegas, W. (2011b). Characterization of gallotannins from *Astronium* species by flow injection analysis-electrospray ionization-ion trap-tandem mass spectrometry and matrix-assisted laser desorption/ionization time-of-flight mass spectrometry. *European Journal of Mass Spectrometry*, 17, 365-375. <https://doi.org/10.1255/ejms.1141>
- Silva-Oliveira, R. J., Lopes, G. F., Camargos, L. F., Ribeiro, A. M., Santos, F. V., Severino, R. P., ... Ribeiro, R. I. (2016). *Tapirira guianensis* Aubl. extracts inhibit proliferation and migration of oral cancer cells lines. *International Journal of Molecular Science*, 17. <https://doi.org/10.3390/ijms17111839>
- Silveira, D., Faitanin, R. D., Gomes, S. M., Fagg, C. W., Fonseca-Bazzo, Y. M., Magalhães, P. O., & Jamal, C. M. (2016). Thrombolytic activity evaluation of extracts from Fabaceae species *Bauhinia variegata*, *B. rufa*, and *Stryphnodendron adstringens*. *Pharmacologyonline*, 3, 56-60.
- Siqueira, C. A. T., Oliani, J., Sartoratto, A., Queiroga, C. L., Moreno, P. R. H., Reimão, J. Q., ... Fischer, D. C. H. (2011). Chemical constituents of the volatile oil from leaves of *Annona coriacea* and *in vitro* antiprotozoal activity. *Brazilian Journal of Pharmacognosy*, 21, 33-40. <https://doi.org/10.1590/S0102-695X201100500004>
- Siqueira, J. C. (1982). Plantas do cerrado na medicina popular. *Jornal Brasileiro de Ciência*, 41-44.
- Soares, M. L., Rezende, M. H., Ferreira, H. D., Figueiredo, A. D. L., Bustamante, K. G. L., Bara, M. T. F., & Paula, J. R. (2005). Caracterização farmacognóstica de folhas de *Davilla elliptica* St.-Hil. (Dilleniaceae). *Brazilian Journal of Pharmacognosy*, 15, 352-360. <https://doi.org/10.1590/S0102-695X2005000400017>
- Soares, S., Casemiro, L., Vinholis, A., Silva, M., Cunha, W., & Martins, C. H. (2008). Antibacterial activity of the crude hydroalcoholic extract of *Stryphnodendron adstringens* on dental caries microorganisms. *Revista Odonto Ciência*, 23, 141-144.
- Somova, L. I., Shode, F. O., Ramnanan, P., & Nadar, A. (2003). Antihypertensive, antiatherosclerotic and antioxidant activity of triterpenoids isolated from *Olea europaea*, subspecies africana leaves. *Journal of Ethnopharmacology*, 84, 299-305. [https://doi.org/10.1016/S0378-8741\(02\)00332-X](https://doi.org/10.1016/S0378-8741(02)00332-X)
- Soto-Sobenis, A., Castillo, B., Delgado, A., González, A., & Montenegro, R. (2001). Alkaloid screening of herbarium samples of Rubiaceae from Panama. *Pharmaceutical Biology*, 39, 161-169. <https://doi.org/10.1076/phbi.39.3.161.5925>
- Sousa, P. T., Dall’Oglio, E. L., Da Silva, L. E., Figueiredo, U. S., Vieira, P. C., Machado, H. V., & dos Santos, L. G. (2009). Gênero *Acosmium*: Composição química e potencial farmacológico. *Brazilian Journal of Pharmacognosy*, 19, 150-157. <https://doi.org/10.1590/S0102-695X2009000100025>
- Souza, A. B., de Souza, M. G., Moreira, M. A., Moreira, M. R., Furtado, N. A., Martins, C. H., ... Veneziani, R. C. (2011). Antimicrobial evaluation of diterpenes from *Copaifera langsdorffii* oleoresin against periodontal anaerobic bacteria. *Molecules (Basel, Switzerland)*, 16, 9611-9619. <https://doi.org/10.3390/molecules16119611>
- Souza, C. D., & Felfili, J. M. (2006). Uso de plantas medicinais na região de Alto Paraíso de Goiás, GO, Brasil. *Acta Botanica Brasilica*, 20, 135-142. <https://doi.org/10.1590/s0102-33062006000100013>
- Souza, J. C., Piccinelli, A. C., Aquino, D. F. S., de Souza, V. V., Schmitz, W. O., Traesel, G. K., ... Arena, A. C. (2017). Toxicological analysis and antihyperalgesic, antidepressant, and anti-inflammatory effects of *Campomanesia adamantium* fruit barks. *Nutritional Neuroscience*, 20, 23-31. <https://doi.org/10.1179/1476830514Y.0000000145>
- Souza, P. M., Elias, S. T., Simeoni, L. A., de Paula, J. E., Gomes, S. M., Guerra, E. N. S., ... Magalhães, P. O. (2012). Plants from Brazilian Cerrado with Potent Tyrosinase Inhibitory Activity. *PLoS One*, 7, e48589. <https://doi.org/10.1371/journal.pone.0048589>
- Souza, R. K. D., Mendonça, A. C. A. M., & Silva, M. A. (2013). Ethnobotanical, phytochemical and pharmacological aspects Rubiaceae species in Brazil. *Revista Cubana de Plantas Medicinais*, 18, 140-156.
- Souza, R. K. D., Silva, M. A. P., Menezes, I. R. A. De, Ribeiro, D. A., Bezerra, L. R., & Souza, M. M. D. A. (2014). Ethnopharmacology of medicinal plants of cerrasco, northeastern Brazil. *Journal of Ethnopharmacology*, 157, 99-104. <https://doi.org/10.1016/j.jep.2014.09.001>
- Souza, T. M., Severi, J. A., Silva, V. Y. A., Santos, E., & Pietro, R. C. L. R. (2007). Bioprospecção de atividade antioxidante e antimicrobiana da casca de *Stryphnodendron adstringens* (Mart) Coville

- (Leguminosae-Mimosoideae). *Revista de Ciências Farmacêuticas Básica e Aplicada*, 221-226. Retrieved from <http://hdl.handle.net/11449/70142>
- Subbaramaiah, K., Michaluart, P., Sporn, M. B., & Dannenberg, A. J. (2000). Ursolic acid inhibits cyclooxygenase-2 transcription in human mammary epithelial cells. *Cancer Research*, 60, 2399-404.
- Suffredini, I. B., Pacienza, M. L. B., Varella, A. D., & Younes, R. N. (2007). *In vitro* cytotoxic activity of Brazilian plant extracts against human lung, colon and CNS solid cancers and leukemia. *Fitoterapia*, 78, 223-226. <https://doi.org/10.1016/j.fitote.2006.11.011>
- Susunaga, G. S. (1996). *Estudo químico e biológico da resina produzida pela espécie Protium heptaphyllum March. (Burseraceae)* (Master's Thesis, Federal University of Amazonas).
- Susunaga, G. S., Siani, A. C., Pizzolatti, M. G., Yunes, R. A., & Delle Monache, F. (2001). Triterpenes from the resin of *Protium heptaphyllum*. *Fitoterapia*, 72, 709-11. [https://doi.org/10.1016/s0367-326x\(01\)00289-1](https://doi.org/10.1016/s0367-326x(01)00289-1)
- Tabanca, N., Pawar, R. S., Ferreira, D., Marais, J. P. J., Khan, S. I., Joshi, V., ... Khan, I. A. (2007). Flavan-3-ol-phenylpropanoid conjugates from *Anemopaegma arvense* and their antioxidant activities. *Planta Medica*, 73, 1107-1111. <https://doi.org/10.1055/s-2007-981563>
- Taylor, P. G., Cesari, I. M., Arsenak, M., Ballen, D., Abad, M. J., Fernández, A., ... Michelangeli, F. (2006). Evaluation of Venezuelan medicinal plant extracts for antitumor and antiprotease activities. *Pharmaceutical Biology*, 44, 349- 362. <https://doi.org/10.1080/13880200600748119>
- Taylor, P., Arsenak, M., Abad, M. J., Fernandez, A., Milano, B., Gonto, R., ... Michelangeli, F. (2013). Screening of Venezuelan medicinal plant extracts for cytostatic and cytotoxic activity against tumor cell lines. *Phytotherapy Research*, 27, 530-539. <https://doi.org/10.1002/ptr.4752>
- Thomas, M. L. R. M. G., & Filho, J. M. B. (1985). Anti-inflammatory actions of tannins isolated from the bark of *Anacardium occidentale* L. *Journal of Ethnopharmacology*, 13, 289-300. [https://doi.org/10.1016/0378-8741\(85\)90074-1](https://doi.org/10.1016/0378-8741(85)90074-1)
- Thomaz, D., Peixoto, L., de Oliveira, T., Fajemiroye, J., da Silva Neri, H., Xavier, C., ... Ghedini, P. (2018). Antioxidant and neuroprotective properties of *Eugenia dysenterica* leaves. *Oxidative Medicine and Cellular Longevity*, 1-9. <https://doi.org/10.1155/2018/3250908>
- Thomazzi, S. M., Silva, C. B., Silveira, D. C. R., Vasconcellos, C. L. C., Lira, A. F., Cambui, E. V. F., ... Antoniolli, A. R. (2010). Antinociceptive and anti-inflammatory activities of *Bowdichia virgilioides* (sucupira). *Journal of Ethnopharmacology*, 127, 451-456. <https://doi.org/10.1016/j.jep.2009.10.014>
- Tirloni, C. A. S., Macorini, L. F. B., dos Santos, U. P., da Rocha, P. S., Barros, S. V., de Melo, A. M. M. F., ... dos Santos, E. L. (2015). Evaluation of the antioxidant activity, antimicrobial effect and acute toxicity from leaves of *Allophylus edulis* (A. St.-Hil., A. Juss. Cambess.) Hieron. ex Niederl. *African Journal of Pharmacy and Pharmacology*, 9, 353-362. <https://doi.org/10.5897/ajpp2015.4270>
- Tirloni, C. A. S., Palozi, R. A. C., Tomazetto, T. A., Vasconcelos, P. C. P., Souza, R. I. C., dos Santos, A. C., ... Gasparotto Junior, A. (2018). Ethnopharmacological approaches to kidney disease-prospecting an indigenous species from Brazilian Pantanal. *Journal of Ethnopharmacology*, 211, 47-57. <https://doi.org/10.1016/j.jep.2017.09.020>
- Tobouti, P. L., de Andrade Martins, T. C., Pereira, T. J., & Mussi, M. C. M. (2017). Antimicrobial activity of copaiba oil: A review and a call for further research. *Biomed. Pharmacotherapy*, 94, 93-99. <https://doi.org/10.1016/j.bioph.2017.07.092>
- Toledo, C. E. M., Britta, E. A., Ceole, L. F., Silva, E. R., De Mello, J. C. P., Dias Filho, B. P., ... Ueda-Nakamura, T. (2011). Antimicrobial and cytotoxic activities of medicinal plants of the Brazilian cerrado, using Brazilian cachaça as extractor liquid. *Journal of Ethnopharmacology*, 133, 420-425. <https://doi.org/10.1016/j.jep.2010.10.021>
- Toledo, C. E. M., Santos, P. R., Mello, J. C. P., Dias Filho, B. P., Nakamura, C. V., & Ueda-Nakamura, T. (2015). Antifungal properties of crude extracts, fractions, and purified compounds from bark of *Curatella americana* L. (Dilleniaceae) against *Candida* species. *Evidence Based Complementary Alternative Medicine*, 2015. <https://doi.org/10.1155/2015/673962>
- Tomé, L. U., Ferreira, H. D., Alves, V. F., de Oliveira, L. G., Borges, L. L., de Sá, S., ... de Sousa Fiúza, T. (2019). Morphological analysis, phytochemical screening, evaluation of the antimicrobial activity of the

- crude extract and fractions of *Miconia albicans* (Sw.) Triana leaves. *Fronteiras*, 87, 372-391. <https://doi.org/10.21664/2238-8869.2019v8i2.p372-391>
- Torralbo, D. F., Batista, K. A., Di-Medeiros, M. C. B., & Fernandes, K. F. (2012). Extraction and partial characterization of *Solanum lycocarpum* pectin. *Food Hydrocolloids*, 27, 378-383. <https://doi.org/10.1016/j.foodhyd.2011.10.012>
- Torrengre, R., Bauerei, P., & Achenbach, H. (1989). Homoormosanine-type alkaloids from *Bowdichia virgilioides*. *Phytochemistry*, 28, 2219-2221. [https://doi.org/10.1016/S0031-9422\(00\)97953-6](https://doi.org/10.1016/S0031-9422(00)97953-6)
- Torres, M., Raiser, A., Marcílio, M., Ribeiro, E., Andriguetti, C., & Valladao, D. (2018). Development, stability and antioxidant activity of microemulsion containing pequi (*Caryocar brasiliense* Camb.) oil. *Revista Virtual de Química*, 10, 346-361 <https://doi.org/10.21577/1984-6835.20180027>
- Tresvenzol, L. M. (2007). Estudo sobre o comércio informal de plantas medicinais em goiânia e cidades vizinhas. *Revista Eletrônica de Farmácia*, 3. <https://doi.org/10.5216/ref.v3i1.2070>
- Trevizan, L. N. F., Nascimento, K. F. do, Santos, J. A., Kassuya, C. A. L., Cardoso, C. A. L., Vieira, M. do C., ... Formagio, A. S. N. (2016). Anti-inflammatory, antioxidant and anti-*Mycobacterium tuberculosis* activity of viridiflorol: The major constituent of *Allophylus edulis* (A. St.-Hil., A. Juss. & Cambess.) Radlk. *Journal of Ethnopharmacology*, 192, 510-515. <https://doi.org/10.1016/j.jep.2016.08.053>
- Tsai, I. L., Hung, C. H., Duh, C. Y., & Chen, I. S. (2002). Cytotoxic butanolides and secobutanolides from the stem wood of Formosan *Lindera communis*. *Planta Medica*, 68, 142-145. <https://doi.org/10.1055/s-2002-20260>
- Tundis, R., Xiao, J., & Loizzo, M. R. (2017). *Annona* species (Annonaceae): a rich source of potential antitumor agents? *Annals of the New York Academy of Sciences*, 1398, 30-36. <https://doi.org/10.1111/nyas.13339>
- Urzêda, M. A., Marcusi, S., Silva Pereira, L. L., França, S. C., Pereira, A. M. S., Pereira, P. S., ... Couto, L. B. (2013). Evaluation of the hypoglycemic properties of *Anacardium humile* aqueous extract. *Evidence-Based Complementary Alternative Medicine*, 2013. <https://doi.org/10.1155/2013/191080>
- Vallilo, M. I., Lamardo, L. C. A., Gaberlotti, M. L., De Oliveira, E., & Moreno, P. R. H. (2006). Composição química dos frutos de *Campomanesia adamantium* (Cambessédes) O. Berg. *Ciência e Tecnologia de Alimentos*, 26, 805-810. <https://doi.org/10.1590/S0101-20612006000400015>
- Varanda, E. A., Pozetti, G. L., Lourenço, M. V., Vilegas, W., & Raddi, M. S. G. (2002). Genotoxicity of *Brosimum gaudichaudii* measured by the *Salmonella*/microsome assay and chromosomal aberrations in CHO cells. *Journal of Ethnopharmacology*, 81, 257-264. [https://doi.org/10.1016/S0378-8741\(02\)00089-2](https://doi.org/10.1016/S0378-8741(02)00089-2)
- Varanda, E. M., Zúñiga, G. E., Salatino, A., Roque, N. F., & Corcuera, L. J. (1992). Effect of ursolic acid from epicuticular waxes of *Jacaranda decurrens* on *Schizaphis graminum*. *Journal of Natural Products*, 55, 800-803. <https://doi.org/10.1021/np50084a015>
- Vareda, P. M., Saldanha, L. L., Camaforte, N. A., Violato, N. M., Dokkedal, A. L., & Bosqueiro, J. R. (2014). *Myrcia bella* leaf extract presents hypoglycemic activity via PI3k/Akt insulin signaling pathway. *Evidence-Based Complementary Alternative Medicine*, 543-606. <https://doi.org/10.1155/2014/543606>
- Vasconcelos, M. A. L., Ferreira, D. S., Andrade e Silva, M. L., Veneziani, R. C. S., & Cunha, W. R. (2003). Analgesic effects of crude extracts of *Miconia albicans* (Melastomataceae). *Bulletino Chimico Farmaceutico*, 142, 333-335.
- Vasconcelos, M. A. L., Royo, V. A., Ferreira, D. S., Miller Crotti, A. E., Andrade E Silva, M. L., Carvalho, J. C. T., ... Cunha, W. R. (2006). *In vivo* analgesic and anti-inflammatory activities of ursolic acid and oleanoic acid from *Miconia albicans* (Melastomataceae). *Zeitschrift fur Naturforsch-C Journal of Biosciences*, 61, 477-482. <https://doi.org/10.1515/znc-2006-7-803>
- Vásquez, J., Alarcón, J. C., Jiménez, S. L., Jaramillo, G. I., Gómez-Betancur, I. C., Rey-Suárez, J. P., ... Romero, J. O. (2015). Main plants used in traditional medicine for the treatment of snake bites in the regions of the department of Antioquia, Colombia. *Journal of Ethnopharmacology*, 170, 158-166. <https://doi.org/10.1016/j.jep.2015.04.059>
- Vasudeva, N., Vats, M., Sharma, S. K., & Sardana, S. (2009). Chemistry and biological activities of the genus *Dalbergia*-A review. *Pharmacognosy Reviews*, 3, 307-319.
- Vecchietti, V., Casagrande, C., Ferrari, G., & Ricca, G. S. (1979). New aporphine alkaloids of *Ocotea minarum*. *Farmaco Sciences*, 34, 829-40.

- Viana, G. S. B., Bandeira, M. A. M., Moura, L. C., Souza-Filho, M. V. P., Matos, F. J. A., Ribeiro, R. A. (1997). Analgesic and antiinflammatory effects of the tannin fraction from *Myracrodruon urundeuva* Fr. All. *Phytherapy Research*, 11, 118-122. [https://doi.org/10.1002/\(SICI\)1099-1573\(199703\)11:2<118::AID-PTR38>3.0.CO;2-J](https://doi.org/10.1002/(SICI)1099-1573(199703)11:2<118::AID-PTR38>3.0.CO;2-J)
- Vieira Júnior, G. M., Dutra, L. A., Torres, R. B., Boralle, N., Bolzani, V. S., Silva, D. H. S., ... Cavalheiro, A. J. (2017). Chemical constituents from *Casearia* spp. (Flacourtiaceae/Salicaceae sensu lato). *Brazilian Journal of Pharmacognosy*, 27, 785-787. <https://doi.org/10.1016/j.bjp.2017.10.003>
- Vieira Júnior, G. M., Leite de Souza, C. M., & Chaves, M. H. (2005). Resina de *Protium heptaphyllum*: Isolamento, caracterização estrutural e avaliação das propriedades térmicas. *Química Nova*, 28, 183-187. <https://doi.org/10.1590/s0100-40422005000200003>
- Vieira, C. R., Marques, M. F., Soares, P. R., Matuda, L., de Oliveira, C. M., Kato, L., ... Guillo, L. A. (2008). Antiproliferative activity of *Pterodon pubescens* Benth. seed oil and its active principle on human melanoma cells. *Phytomedicine*, 15, 528-532 <https://doi.org/10.1016/j.phymed.2007.08.003>
- Vieira, G. Jr., Ferreira, P. M., Matos, L. G., Ferreira, E. C., Rodovalho, W., Ferri, P. H., ... Costa, E. A. (2003). Anti-inflammatory effect of *Solanum lycocarpum* fruits. *Phytotherapy Research*, 17, 892-896. <https://doi.org/10.1002/ptr.1247>
- Vieira, M. C., Perez, V. B., Heredia Zárate, N. A., Santos, M. C., Peloso, I. A. O., & Pessoa, S. M. (2011). Nitrogênio e fósforo no desenvolvimento inicial da guavira [*Campomanesia adamantium* (Cambess.) O. Berg] cultivada em vasos. *Brazilian Journal of Medicinal Plants*, 13, 542-549. <https://doi.org/10.1590/s1516-05722011000500007>
- Vila Verde, G. M., Paula, J. R., & Caneiro, D. M. (2003). Levantamento etnobotânico das plantas medicinais do cerrado utilizadas pela população de Mossâmedes (GO). *Brazilian Journal of Pharmacognosy*, 13, 64-66. <https://doi.org/10.1590/s0102-695x2003000300024>
- Vilar, J. B., Andrade, L. S., Leite, K. R., Ferreira, H. D., & Chen, L. C. (2009). Assessment of genotoxicity and cytotoxicity of “lixeira” (*Curatella americana* L.) using the prophage λ induction test (SOS inductest). *Brazilian Journal of Pharmacy*, 45, 491-496. <https://doi.org/10.1590/S1984-82502009000300015>
- Vilar, J. B., Ferreira, F. L., Ferri, P. H., Guillo, L. A., & Chen, L. (2008). Assessment of the mutagenic, antimutagenic and cytotoxic activities of ethanolic extract of araticum (*Annona crassiflora* Mart. 1841) by micronucleus test in mice. *Brazilian Journal of Biology*, 68, 141-147. <https://doi.org/10.1590/S1519-69842008000100020>
- Vilela Oliva, M. L., & Sampaio, M. U. (2008). *Bauhinia* Kunitz-type proteinase inhibitors: Structural characteristics and biological properties. *Biological Chemistry*, 1007-1013. <https://doi.org/10.1515/BC.2008.119>
- Villasmil, J., María, J., Abad Arsenak, M., Fernandez, A., Ruiz, M.-C., Williams, B., ... Peter, T. (2006). Cytotoxic and antitumor activities of venezuelan plant extracts *in vitro* and *in vivo*. *Pharmacologyonline*, 3, 808-816.
- Violante, I. M. P., Hamerski, L., Garcez, W. S., Batista, A. L., Chang, M. R., Pott, V. J., & Garcez, F. R. (2012). Antimicrobial activity of some medicinal plants from the Cerrado of the central-western region of Brazil. *Brazilian Journal of Microbiology*, 43, 1302-1308. <https://doi.org/10.1590/S1517-83822012000400009>
- Viscardi, D. Z., Arrigo, J. D. S., De Correia, C. A. C., Kassuya, C. A. L., Cardoso, C. A. L., Maldonade, I. R., & Argandoña, E. J. S. (2017). Seed and peel essential oils obtained from *Campomanesia adamantium* fruit inhibit inflammatory and pain parameters in rodents. *PLoS One*, 12. <https://doi.org/10.1371/journal.pone.0157107>
- Yoshida, E., Ferraz, M., Tribuiani, N., Tavares, R., Cogo, J., Santos, M., ... Oshima-Franco, Y. (2015). Evaluation of the safety of three phenolic compounds from *Dipteryx alata* Vogel with antiophidian potential. *Chinese Medicine*, 6, 1-12. <https://doi.org/10.4236/cm.2015.61001>
- Yoshikawa, M., Nakamura, S., Ozaki, K., Kumahara, A., Morikawa, T., & Matsuda, H. (2007). Structures of steroid alkaloid oligoglycosides, robeneosides A and B, and antidiabetogenic constituents from the Brazilian medicinal plant *Solanum lycocarpum*. *Journal of Natural Products*, 70, 210-214. <https://doi.org/10.1021/np0680580>

- Yu, J-G., Hu, X. E., Ho, D. K., Bean, M. F., Stephens, R. E., Cassady, J. M., ... Clardy, J. (1994). Absolute Stereochemistry of (+)-Gigantecin from *Annona coriacea* (Annonaceae). *Journal of Organic Chemistry*, 59, 1598-1599. <https://doi.org/10.1021/jo00086a003>
- Zagoto, J. N., Bracht, A., Pagadigorria, C. L., Ishii-Iwamoto, E. L., Cortez, D. A., & Yamamoto, N. S. (2006). Effects of the *Kielmeyera coriacea* extract on energy metabolism in the rat liver. *Journal of Ethnopharmacology*, 105, 47-54. <https://doi.org/10.1016/j.jep.2005.09.036>
- Zatta, D. T., Pimenta, F. C., Tresvenzol, L. M. F., Fiúza, T. S., Bara, M. T. F., Cunha, L. C., ... Paula, J. R. (2009). Study of antibacterial activity against *Pseudomonas aeruginosa* strains and acute toxicity of *Jacaranda decurrens* leaves. *Latin American Journal of Pharmacy*, 28, 485-494.
- Zimmermann-Franco, D. C., Bolutari, E. B., Polonini, H. C., do Carmo, A. M., Chaves, M., & Raposo, N. R. (2013). Antifungal activity of *Copaifera langsdorffii* Desf oleoresin against dermatophytes. *Molecules*, 18, 12561-12570 <https://doi.org/10.3390/molecules181012561>
- Zoghbi, M. das G. B., Maia, J. G. S., & Luz, A. I. R. (1995). Volatile constituents from leaves and stems of *Protium heptaphyllum* (Aubl.) March. *Journal of Essential Oil Research*, 7, 541-543. <https://doi.org/10.1080/10412905.1995.9698581>
- Zoghbi, M. G. B., Pereira, R. A., Lima, G. S. L., & Bastos, M. N. C. (2014). Variation of essential oil composition of *Tapirira guianensis* Aubl. (Anacardiaceae) from two sandbank forests, north of Brazil. *Química Nova*, 37, 1188-1192. <https://doi.org/10.5935/0100-4042.20140197>